SIEMENS

home
appliances

BUILT-IN | OVENS | COMPACTS | HOBS | HOODS | COOLING | DISHWASHING | HOME LAUNDRY

Autumn/Winter Collection

UNIFIED DESIGN

Sleek cooking appliances that complement your lifestyle

FRESH THINKING

Cooling appliances with the very latest in food preservation technology

TAILORED SPACES

flex**Induction** hobs that offer no-compromise cooking

siemens-home.co.uk | siemens-home.com/ie

Elegant design and cutting-edge innovation that fit seamlessly into your lifestyle.

The future *moving in.*

Introducing our range of fully coordinated appliances, good looking on their own and fabulous together. Siemens appliances combine innovative technology with energy efficiency and sleek, stylish design.

In this catalogue, discover our range of award-winning dishwashers featuring the world's first and only Zeolith® drying system; a technological innovation that sets new standards for performance and energy efficiency. Take a look at our stunning fridge freezers with food preservation technology, outstanding freezers that never have to be defrosted and ovens that coordinate with microwaves, hoods, hobs and coffee machines, working together to create a spectacular kitchen for your home.

Stunning designs that your friends will envy, clean lines that are going to coordinate with the rest of your living space and high quality materials come as standard with all Siemens appliances. Offering you the perfect balance between modern design and innovative technology, appliances sit seamlessly together.

welcome home.

Customer service 4-5
Ovens 6-23
- Single ovens
- Double ovens

Compact appliances 24-39
- compact**45** steam ovens
- compact**45** multi-function ovens with microwave
- compact**45** microwave combination oven
- compact**45** coffee centre
- compact**45** microwave oven
- Microwave ovens
- Warming and accessory drawers

Hobs 40-67
- flex**Induction**
- Induction
- Quick-lite ceramic
- Ceramic glass gas hobs
- Tempered glass gas hobs
- Stainless steel gas hobs
- Domino hobs

Hoods 68-87
- down**Draft** hood
- Ceiling hoods
- Island hoods
- Box chimney hoods
- Angled hoods
- Slim pyramid hoods
- Glass chimney hoods
- Telescopic hoods
- Canopy hoods
- Integrated hoods

Cooling 88-115
- a**Cool** appliances
- cool**Concept** appliances
- Built-in fridge freezers
- Built-in fridges
- Built-in freezers
- Wine coolers
- Built-under fridges and freezer
- American-style fridge freezers

Dishwashers 116-135
- Full-size
- Slimline

Home laundry 136-143
- Washing machines
- Washer dryers

Greener products, cleaner planet 144-145
Contact us 146-147
Siemens online 148-149

Award winning Customer Service.

Knowledge and expertise, where you need it, when you need it.

Purchasing a Siemens appliance gives you access to our expert customer service team; for the lifetime of your appliance. With 2-5 year guarantees on offer and multi-award winning products to choose from and assistance from an outstanding customer service department, you can be assured that the appliance you are buying will offer peace of mind.

Siemens Customer Service has received the Commended accolade in the Domestic and General Total Excellence and Quality Award 2013.

Total Excellence & Quality
Commended 2013
Domestic & General

Expert advice.

Siemens Customer Service staff are full of knowledge and expertise, whether you have a simple question, want to order a spare or replacement part or require an engineer to visit your home. With engineers based locally across the country*, no one is better suited to help, and all Siemens repairs are analysed in advance so that we bring the correct replacement spare parts likely to be needed on the first visit.**

This is all supported by our outstanding online services, available 24 hours a day. Visit siemens-home.co.uk for Product information, Downloadable brochures, Videos, Instruction manuals and FAQ's.

Telephone
UK: **0844 892 8999** – Option 3
IRL: **01450 2655**

Original replacement spare parts.

Order replacement parts online and access exploded diagrams to help you locate the correct part. As a manufacturer we only use original spare parts we keep a comprehensive range of parts available for up to ten years.

Telephone
UK: **0844 892 8999** – Option 2
IRL: **01450 2655**

siemens-home.co.uk/store
siemens-eshop.ie

Accessories and cleaning products.

Order accessories and cleaning products quickly and easily via our online store. The Siemens store has an extensive selection of accessories to help you make the most of your Siemens appliance. With our range of tested and approved cleaning and care products you can keep your appliance looking good and working to optimum performance.

Telephone
UK: **0844 892 8999** – Option 2
IRL: **01450 2655**

siemens-home.co.uk/store
siemens-eshop.ie

Siemens engineers ready to help.

Need to arrange an engineer visit? No problem, simply call our Customer Services to discuss the issue with your appliance and if needed we will arrange a home appointment with an engineer at your convenience. You can book an appointment online or by telephone and we repair both in and outside the manufacturer's warranty period.

Telephone
UK: **0844 892 8999** – Option 1
IRL: **01450 2655**

siemens-home.co.uk
siemens-home.com/ie

---

* In certain areas we may use an approved service partner.
** This process may vary where service partners are used by us.

Ovens

As intuitive
as cooking itself.

3D-Hot Air
140 °C
clean
start
stop

Model shown; HB78GB570B

Innovative technology and style combined, Siemens believe that the oven is the single most important piece of kitchen equipment.

Models shown; HB78GB570B single multi-function active**Clean**® oven and LC958BB90B light**Control** box chimney hood

Get Coordinated.

The beautifully designed and uncluttered fascias of the iQ700 range of cooking appliances all feature clear**Text** TFT displays, full-steel rotary controls, touch sensitive electronic controls with stunning blue light indicators and wrap around door design. This level of detailing does more than just convey an elegant impression of style, it also allows for perfect coordination between appliances.

Cooking is an intuitive almost instinctive process; the user interface on our ovens has been designed to enhance that natural approach. Siemens want you to use technology with spontaneity and passion, keeping cooking in control and resulting in delicious meals. Simply press the on/off button, and let the logical order of the buttons and rotary control support guide you through the process of operating the oven. The blue indicator lights above each button and text display provide clear confirmation of active functions, while the display also provides suggestions for optimum settings.

Set within the High Resolution clear**Text** (TFT) display the clock acts as a minute minder, letting you pre-set the oven to switch it off and on as you wish. Inside is just as elegant as out, with grey enamel that is extremely hard wearing. Scratch and impact resistant, the interior contains a bright halogen light that allows a clear view of the contents without having to open the door during cooking. Finally the unique exterior makes use of the highest quality stainless steel, gracefully wrapping the soft**Close** door. Not only does it convey an impression of absolute quality, it also allows for perfect coordination between selected iQ500 and iQ700 models.

Simply the best.

Life's pleasures often lie in the simplest things. A philosophy that is essential to the design of the iQ700 ovens with their easy to use clear**Text** TFT display and time saving active**Clean**® self-cleaning system. Supreme features that mean you can enjoy cooking even more.

12:41 Type of heating
3D-Hot Air
140 °C
clean

TFT clear**Text** display - cooking has never been clearer.

TFT-Display

Sharper and brighter with TFT

No longer will you have to struggle with timings or guess at what temperature you have set the oven. With the iQ700's specially designed High Resolution (TFT) clear**Text** display screen you will never miss a thing. The stylish screen allows you to view crystal-clear text from any angle. Ideal when you need to check your cooking status at a glance, information is displayed more clearly so not only makes for easier viewing but adds to the stylish design of the appliance.

active**Clean**® - ovens that clean themselves.

activeClean®

Time better spent

What's the best way to clean your oven? Select the active**Clean**® self-cleaning system, sit down and relax. By heating the oven cavity up to 480°C, active**Clean**® burns away all dirt and grime, saving you time, but also saving you money as there's no need to buy oven cleaning products. Leaving the oven cavity looking immaculate and allowing you to spend time on the things you enjoy, active**Clean**® eliminates the need to ever clean the oven again!

Model shown; HB78GB570GB

Now we're *cooking.*

Stylish design and intelligent innovation perfectly engineered to meet the demands of today's busy lifestyles. No matter what you're cooking there is a range of functions and features to help you to cook-up the perfect meal.

cook**Control**

With 68 automatic programmes to choose from, cook**Control** ensures that food cooks perfectly every time. With the oven recommending the correct settings for the desired meal; simply select the meal you want to cook, follow the instructions and press start, the oven will do the rest. Perfect for cooking your favourite tried-and-tested meals, it also allows you to try new dishes and show off your culinary skills.

3D hot air cooking

Experience unprecedented convenience with 3D hot air. This is true fan cooking and ensures even distribution of heat throughout the oven cavity. It gives great results whether you're cooking on one, two or three shelves with no intermingling of flavours, allowing you to cook sweet and savoury at the same time. It's the perfect time saver for dinner parties.

Intensive hot air

Intensive hot air circulates heat throughout the oven whilst providing heat from the bottom element. Not only thoroughly cooking food, it also provides a crisp base - perfect for pizza and quiche.

Telescopic rail system: Optional accessory which allow shelves to glide out effortlessly and safely.

hotair**Eco**

Perfect for frozen or convenience food, bread, cakes and meat, hotair**Eco**, featured on all active**Clean**® models, is 30% more economical than the standard energy class A rated oven. Using a single shelf and saving energy, you can enjoy delicious food whilst being kinder to the environment.

hydro**Baking**

Perfectly bake cakes, breads and pastries with hydro**Baking**. This traps in the moisture of food during cooking; the result, deliciously moist food.

Keep warm setting

Keep warm setting - ideal when guests are stuck in traffic or there's a quick task that needs finishing. The setting ensures that food doesn't dry out or change in texture or taste, so you can still enjoy a delicious meal that fits in with your schedule.

Hot air grilling

Providing consumers the option to rotisserie cook at home, hot air grilling is perfect for poultry and duck or smaller cuts of meat and is ideal for crisping pork crackling.

Dough proving

The oven creates the perfect environment for proving dough, so you don't have to, leaving you to enjoy your time until the dough is ready.

The Siemens oven range is designed to provide exciting, coordinated and stylish products with the technology on the inside to enable you to create and enjoy delicious meals.

Models shown; HB86P575B compact**45** multi-function oven with microwave, HW1405P2B warming drawer, HB78GB590B multi-function active**Clean**® single oven, HW1405P2B warming drawer, HB36D575B compact**45** hot air steam oven, HW1405P2B warming drawer.

Simply the Best.

Supreme features that mean you can enjoy cooking even more.

The iQ700 range of ovens include all the standard features you would expect but boast exceptional design and technologies that can only be found in our premium models. With High Resolution clear**Text** TFT display screens, ensuring you will never miss a thing, together with light**Control** and blue indicator lights, it is easy to select from the 14 different functions and programmes available including active**Clean**®, hydro**Baking**, and cook**Control** - cooking could not be made easier and more enjoyable.

iQ700
HB78GB590B

At a glance

- Capacity: 65 litres
- clear**Text** TFT display - provides clear vision from all angles
- Multifunction oven - 14 functions
- active**Clean**® - self-cleaning programme
- hotair**Eco** - energy efficient single shelf cooking
- hydro**Baking** - keeps food moist
- cook**Control** - 68 automatic programmes
- soft**Close** door - provides smooth, effortless closure

Go to pages 17-23 to view the whole range.

A Energy | -30% Energy | activeClean® | TFT-Display

Sharper. Brighter. Clearer.

The stylish clear**Text** display will feel at home in any modern kitchen, allowing you to view the crystal-clear text from wide angles without losing clarity. Ideal when you need to check your cooking status at a glance.

Crisp on the outside, moist on the inside.

hydro**Baking** is the ideal way to bake any dish to get the perfect combination of crispness and moistness. The function retains the moisture that is naturally released from the food whilst cooking, rather than venting it out into the kitchen. Perfect for baking pastries, breads, rolls and biscuits.

A lifetime of knowledge at the touch of a button.

cook**Control** provides 68 automatic programs to choose from; select what you want to cook, follow the instructions and press start - the oven will do the rest. Ensuring that the appropriate settings and optimum temperatures will be maintained throughout the process, cook**Control** meals allow you to show off your culinary skills.

Absolute quality and elegance. Designed to coordinate perfectly with other Siemens iQ700 appliances.

Elegant Innovation.

Stylish and designed for cooking.

The iQ500 range of ovens exude elegance and refinement with a range of first-class features. Characteristic of the range are the split glass and metal control fascias, white LED clocks and twin pop out controls. With 9 main functions including hotair**Eco**, the most frequently used oven cooking function and active**Clean**® featured across the range, the finishing touch is the quiet soft**Close** door. It's these small but innovative features that make iQ500 Siemens ovens both practical and stylish.

iQ500
HB75GB550B

At a glance

- Capacity: 65 litres
- Multifunction oven - 9 functions
- active**Clean**® - self-cleaning programme
- soft**Close** door - provides smooth, effortless closure
- hotair**Eco** - energy efficient single shelf cooking

Go to pages 17-23 to view the whole range.

A Energy | -30% Energy | activeClean®

Energy-efficiency never tasted so good.

hotair**Eco** provides perfect results for one-shelf cooking, at 30% less energy than the maximum allowed for an A rated oven. It is the most frequently used oven cooking function as often only one shelf is required. Perfect for frozen or convenience foods. Experience delicious food whilst being kinder to the environment.

Time better spent.

The brilliance of active**Clean**® is that you'll never have to clean your oven again. By heating the oven cavity up to 480°C, active**Clean**® burns away all dirt and grime - not only saving you time, but saving you money as there's no need to buy oven cleaning products again.

Smooth action.

A small action makes a real difference in everyday life. soft**Close**, a concealed mechanism in the door hinge, makes it impossible to forcefully close the oven door. A firm push is all that is needed to close the door smoothly and quietly.

Stylish design and intelligent innovation perfectly engineered to meet the demands of today's busy lifestyles.

Double
Bake.

Beautiful innovative double ovens.

Our stylish double ovens are definitely worth a second look. Designed for use in built-in units or built-under a counter top they will sit beautifully in any kitchen design. The eco**Clean**® programme and 3D hot air function is standard across the range, whilst selected models feature multi-functions. If you're looking for extra capacity with a separate grill and oven you will never be short of space.

iQ 500
HB55MB551B

At a glance

Main Lower Oven
- Capacity - 67 litres
- Multifunction oven
- 9 functions
- eco**Clean**® - never manually clean the oven again
- 3D hot air - no mixing of flavours
- hotair**Eco** - eco-friendly single shelf cooking

Secondary Top Oven
- Capacity - 35 litres
- 4 functions
- eco**Clean**®

Go to pages 17-23 to view the whole range.

A Energy – Main Lower Oven
–30 % Energy
A Energy – Secondary Top Oven

Cutting corners to achieve perfect results.

Experience unprecedented convenience with 3D hot air. 3D hot air is the perfect time saver for dinner parties, allowing you to cook sweet and savoury at the same time. This function gives great results whether you're cooking on one, two or three shelves as you have no intermingling of flavours.

What's the best way to clean the oven? Automatically.

eco**Clean**® uses liners to absorb grease and dirt, keeping the oven aesthetically pleasing on the inside. eco**Clean**® liners are four times more efficient than standard catalytic liners, providing excellent cleaning performance time after time.

Energy-efficiency never tasted so good.

hotair**Eco** provides perfect results for one-shelf cooking, at 30% less energy than the maximum allowed for an A rated oven. Experience delicious food whilst being kinder to the environment.

> *All the extra capacity you need, with design details that will sit beautifully in your kitchen.*

Welcome to a range *designed* around you.

Intended for cooking, Siemens ovens feature high-quality, full-steel rotary controls with the latest touch sensitive technology and features. Including cook**Control**, which will time your food to perfection so you don't have to and active**Clean**® our ultimate self-cleaning system, that means you never need to clean the oven again. With all this power at your fingertips cooking will become quick and simple, so you can sit back and enjoy the finer things in life and of course the striking clean lines and sleek exterior of your new Siemens oven.

iQ 700
Exceptional design allied with seriously innovative technology is the basis of these, our premium models.

iQ 500
Exuding class and refinement, these machines unite first-class features with top-class technology.

iQ 300
Good looking appliances with Siemens build quality equipped with an attractive selection of smart features.

Single ovens

Stunningly, uniquely Siemens, our iQ700 and iQ500 single ovens convey an elegant impression of absolute quality and intelligent innovation.

A Energy | -30% Energy | eco+ More efficiency, more performance | activeClean® | Hot air eco | reddot design award winner 2012

iQ700

HB78GB590B stainless steel

- Capacity: 65 litres
- clear**Text** TFT display - provides clear vision from all angles
- Multifunction oven - 14 functions
- active**Clean**® - self-cleaning programme
- hotair**Eco** - energy efficient single shelf cooking
- hydro**Baking** - keeps food moist
- cook**Control** - 68 automatic programmes
- soft**Close** door - provides smooth, effortless closure



A Energy | -30% Energy | eco+ More efficiency, more performance | activeClean® | Hot air eco | reddot design award winner 2012

iQ700

HB78GB570B stainless steel
HB78GB670B black
HB78GB270B white

- Capacity: 65 litres
- clear**Text** TFT display - provides clear vision from all angles
- Multifunction oven - 14 functions
- active**Clean**® - self-cleaning programme
- hotair**Eco** - energy efficient single shelf cooking
- hydro**Baking** - keeps food moist
- cook**Control** - 68 automatic programmes
- soft**Close** door - provides smooth, effortless closure

A Energy | -30% Energy | eco+ More efficiency, more performance | activeClean® | Hot air eco

iQ500

HB75GB550B stainless steel

- Capacity - 65 litres
- Multifunction oven - 9 functions
- active**Clean**® - self-cleaning programme
- hotair**Eco** - energy efficient single shelf cooking
- soft**Close** door - provides smooth, effortless closure

A Energy | -30% Energy | eco+ More efficiency, more performance | activeClean® | Hot air eco

iQ500

HB75LB551B stainless steel left hinged side opening door
HB75RB551B stainless steel right hinged side opening door

- Capacity - 65 litres
- Multifunction oven - 9 functions
- active**Clean**® - self-cleaning programme
- hotair**Eco** - energy efficient single shelf cooking

Single ovens

The simple, yet stylish, Siemens iQ300 single ovens, are as easy to use as they are on the eye.

A Energy | -30% Energy | eco+ More efficiency, more performance | activeClean® | Hot air eco

iQ300

HB63AB551B stainless steel

- Capacity - 65 litres
- Multifunction oven - 6 functions
- active**Clean**® - self-cleaning system
- hotair**Eco** - energy efficient single shelf cooking

A Energy | -10% Energy | activeClean® | Hot air eco

iQ300

HB64AB521B stainless steel

- Capacity - 60 litres
- Multifunction oven - 6 functions
- active**Clean**® - self-cleaning system
- hotair**Eco** - energy efficient single shelf cooking

A Energy | -20% Energy | eco+ More efficiency, more performance

iQ300

HB43AB550B stainless steel

- Capacity - 67 litres
- Multifunction oven - 5 functions
- eco**Clean**® - never manually clean the oven again

A Energy | -20% Energy | eco+ More efficiency, more performance

iQ300

HB13AB550B stainless steel

- Capacity - 67 litres
- 4 main functions including 3D hot air

Double ovens

The same uncluttered fascia and innovative programmes as our single ovens they are designed to coordinate with all Siemens appliances.

MAIN OVEN / TOP OVEN

A Energy | –30 % Energy | eco+ More efficiency, more performance | Hot air eco | A Energy

iQ500

HB55MB551B stainless steel

Main lower oven
- Capacity - 67 litres
- Multifunction oven - 9 functions
- eco**Clean**® - never manually clean the oven again
- hotair**Eco** - energy efficient single shelf cooking

Secondary top oven
- Capacity - 35 litres
- 4 functions
- eco**Clean**® - never manually clean the oven again

MAIN OVEN / TOP OVEN

A Energy | –20 % Energy | eco+ More efficiency, more performance | A Energy

HB43MB520B stainless steel

Main lower oven
- Capacity - 67 litres
- Multifunction oven - 5 functions
- eco**Clean**® - never manually clean the oven again

Secondary top oven
- Capacity - 35 litres
- 3 functions
- eco**Clean**® - never manually clean the oven again

MAIN OVEN / TOP OVEN

A Energy | –20 % Energy | eco+ More efficiency, more performance | A Energy

HB13MB521B stainless steel
HB13MB621B black

Main lower oven
- Capacity - 71 litres
- Hot air oven - 2 functions
- eco**Clean**® back liner - never manually clean the oven again

Secondary top oven
- Capacity - 35 litres
- 3 functions
- Back and roof eco**Clean**® liner - never manually clean the oven again

Built-under double ovens

Siemens built-under double ovens are perfect for smaller spaces.

MAIN OVEN / TOP OVEN

A Energy | A Energy

iQ500

HB55NB550B stainless steel

Main lower oven
- Capacity - 50 litres
- Multifunction oven - 8 functions
- eco**Clean**® - never manually clean the oven again

Secondary top oven
- Capacity - 35 litres
- 4 functions
- eco**Clean**® - never manually clean the oven again

MAIN OVEN / TOP OVEN

A Energy | A Energy

HB43NB520B stainless steel

Main lower oven
- Capacity - 50 litres
- Multifunction oven - 5 functions
- eco**Clean**® - never manually clean the oven again

Secondary top oven
- Capacity - 35 litres
- 3 functions
- eco**Clean**® - never manually clean the oven again

MAIN OVEN / TOP OVEN

A Energy | A Energy

HB13NB521B stainless steel
HB13NB621B black

Main lower oven
- Capacity - 56 litres
- Hot air oven - 2 functions
- Back eco**Clean**® liner - never manually clean the oven again

Secondary top oven
- Capacity - 35 litres
- 3 functions
- Back and roof eco**Clean**® liner - never manually clean the oven again

Installation diagrams

Single oven with 96mm fascia

HB78GB590B



* 20 mm for metal fascias

Built-in



* 20 mm for metal fascias

Built-under



* 20 mm for metal fascias

Side profile

Single ovens with drop-down door

HB78GB570B
HB78GB670B
HB78GB270B
HB75GB550B
HB63AB551B
HB43AB550B
HB13AB550B
HB64AB521B



* 20 mm for metal fascias

Built-in



* 20 mm for metal fascias

Built-under



* 20 mm for metal fascias

Side profile

Single ovens with side-opening door

HB75LB551B
HB75RB551B



* 20 mm for metal fascias

Left hinged door



* 20 mm for metal fascias

Right hinged door



* 20 mm for metal fascias

Side profile

Built-in double ovens

HB55MB551B
HB43MB520B
HB13MB521B
HB13MB621B



Built-under double ovens

HB55NB550B
HB43NB520B
HB13NB521B
HB13NB621B



*For installation under an induction hob min. 50mm

Measurements in mm. Line drawings are for reference only. Please download the latest installation guidelines from siemens-home.co.uk.
Siemens can not accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

Oven accessories

3 level telescopic rail set with stop function
HZ338357 (part no. 708430)

The perfect accessories, designed especially for your new oven, why look elsewhere when we can supply bespoke accessories. Great for tailoring your oven to your individual needs choose between the telescopic rails, deep roasting pan or even the stainless steel decor strip to finish off the look.

Telescopic rails

Ideal for ovens in awkward places or simply for ease of use, all Siemens cavity ovens allow for a telescopic rail system with a stop function. The shelves glide out effortlessly and safely so you don't have to reach inside a hot oven to check the cooking of your food.

Other accessories

Deep roasting pan
HZ333003 (part no. 574906)



Small oven to table dish
HZ36D513P (part no. 573899)



Large oven to table dish
HZ36D533P (part no. 573900)

Black decor strip
HZ86X600 (part no. 476645)

Stainless steel decor strip
HZ86X500 (part no. 476644)

To view available accessories in the oven range please ask your retailer or visit siemens-home.co.uk/store.

Compact appliances

Easy to use,
easy on the eye.



Models shown; TK76K573GB compact**45** coffee centre, HB36D575B compact**45** hot air steam oven, HB86P575B compact**45** multi-function oven with microwave, HB36D575B compact**45** hot air steam oven. Please note that the compact**45** coffee centre does not have a TFT clear**Text** display.

Uniting first class technology with exceptional design, personalise your kitchen space with a selection of Siemens compact appliances.

Grand designs.

Models shown; HB86P575B compact**45** multi-function oven with microwave, HW1405P2B warming drawer, TK76K573GB compact**45** coffee centre, HW1405P2B warming drawer, HB36D575B compact**45** hot air steam oven, HW1405P2B warming drawer. Please note that the compact**45** coffee centre does not have a clear**Text** TFT display.

Multi-functional cooking, multi-functional ovens: Siemens compact**45**.

Elegant impressions and perfect coordination, come as standard.

Putting a barista into kitchens: the compact**45** Coffee Centre.

An ideal solution for warming plates: the Siemens Warming Drawer.

Inspirational products for modern living. All Compact**45** appliances are designed to coordinate with each other. Whether you are aiming for clean, vertical lines or are positioning two or three models side by side, everything lines up beautifully.

Siemens offer two multi-functional ovens in the iQ700 and iQ500 ranges – both with integral microwaves. The multi-functional ovens offer up to 12 functions as well as pre-set automatic cooking, defrosting and combination programmes. Those with built-in microwaves can be used independently or in combination with the standard cooking functions, resulting in a quicker cooking time. The iQ700 models even let you store some of your favourite recipes.

Featuring the same electronic controls and high resolution TFT clear**Text** screens as the single ovens, the iQ700 compact ovens coordinate perfectly with the fully-sized single ovens. For horizontal coordination, team iQ700 compact models with HB78GB590B. Although why stop there, as there are many other appliances in our range you can select from; steam combination ovens, microwaves, warming drawers or even your very own barista in the form of our built-in coffee centre.

The *healthy option.*

When compromise is not an option, compact**45** hot air steam is the solution.

The Siemens range of compact**45** steam ovens coordinate beautifully with Siemens single ovens. They are quick and easy to install whilst also offering traditional hot air cooking methods with steam, they provide the best of both worlds. Enjoy delicious and healthy steamed food with the added benefit of a temperature range of up to 230°C, perfect for all types of cooking. Multi-talented, healthy and coordinated Siemens compact**45** steam ovens have it all.



iQ700
HB36D575B

At a glance

- Capacity: 35 litres
- light**Control** - and fascia provides perfect integration with other Siemens appliances
- TFT clear**Text** display - provides clear vision from all angles
- 5 main functions: Including - steam, hot air and combination (hot air and steam)
- 70 automatic programmes - simply select food type, enter weight and press start, for perfect results every time
- Alternative colour options: black, white

Go to pages 33-39 to view the whole range.

A Energy | –20 % Energy | TFT-Display | Steam combination oven

reddot design award
winner 2012

Healthy cooking never tasted so good.

Enjoy a healthy meal created by the power of steam. With juicy meats and crunchy vegetables cooked to perfection, your creations will be second to none. Steam keeps the nutrients and minerals within food, making a tastier and healthier meal. Combined with hot air, you can create a wider variety of meals to enjoy time and time again.

Perfect for all occasions.

Steam defrosting and reheating gently puts moisture back in to food as it defrosts or reheats. Quicker than regular defrosting, an entire frozen turkey can be defrosted in just one hour. This speed allows for spontaneous meals, without the need to pre-plan, whilst the reheating function makes food taste just as delicious the second time around.

No plumbing needed.

Siemens steam and steam combination ovens are quick, easy to install and don't need to be plumbed in. The removable water tank has sufficient capacity to provide up to 70 minutes steam cooking at full power.

Healthy food made delicious with the power of steam.

Best of both *worlds.*

Save space. Save time. Enjoy Life.

A microwave built into an oven; enjoy the best of both worlds without the need for a separate appliance. Perfect if you like to cook in a minimalistic environment.



iQ700
HB86P575B
stainless steel

At a glance

- Capacity: 42 litres
- light**Control** - and fascia provides perfect integration with other Siemens appliances
- TFT clear**Text** display - provides clear vision from all angles
- 12 main functions - including 3D hot air and combination operation
- 44 automatic combination programmes - for perfect results every time
- 6 memory functions - for your favourite foods
- active**Clean**® - self-cleaning system
- Alternative colour options: black, white

Go to pages 33-39 to view the whole range.

TFT-Display | activeClean®

reddot design award
winner 2012

If space isn't an issue.

Why not combine a iQ700 compact**45** active**Clean**® oven with microwave together with a iQ700 active**Clean**® single oven? This combination delivers complete cooking flexibility as well as a massive 98 litre capacity, more than most double ovens. And because both feature active**Clean**® you need never clean either oven manually again.

Perfect results every time.

The automatic programmes make cooking easy. Simply select the food type enter the weight and press the start button - let the appliance do the rest. Most models in the Siemens microwave range also feature a memory option so you can store your favourite recipes.

Sharper. Brighter. Clearer.

The stylish clear**Text** display will feel at home in any modern kitchen, allowing you to view the crystal-clear text from wide angles without losing clarity. Ideal when you need to check your cooking status at a glance.

Cook sweet and savoury food at the same time without flavours intermingling, with 3D hot air.

Super *fast food.*

Don't think you have time for dinner? Think again.

Ideal for those who value their time, a compact**45** microwave oven offers a quick method of heating food when time is of the essence.



iQ 500
HB84E562B

At a glance

- Capacity: 36 litres
- 7 main functions - including grill and combination operation
- 11 automatic combination programmes - perfect results every time
- eco**Clean**® - never manually clean the oven again

Go to pages 33-39 to view the whole range.

11 automatic combination programmes.

There are 11 automatic combination programmes to choose from; select what you want to cook, follow the instructions and press start - the oven will do the rest. Ensuring that the appropriate settings and optimum temperatures will be maintained throughout the process.

Perfectly coordinated.

The compact**45** microwave coordinates perfectly with a an iQ500 single oven, and will also sit well visually with an iQ300 single oven.

4 automatic defrost programmes.

The 4 automatic defrost settings uses temperatures as low as 30°C to defrost food - not simply cook it - allowing meat to defrost properly. This also provides the option to defrost desserts such as gâteau without losing their shape - the perfect way to end a dinner party.

Fast easy cooking designed with convenience in mind.

Skinny *cappuccino please.*

Your own personal barista on-call 24 hours a day.

No kitchen is complete without a coffee centre; enjoy the highest quality of coffee at the touch of a button, with this stylish gadget being the envy of your friends and centrepiece of your kitchen. It's like having an experienced barista on-call 24 hours a day.



iQ 700
TK76K573GB

At a glance

- Electronic LCD clear**Text** display
- One touch function
- Frothing nozzle
- aroma**DoubleShot** - provides flexibility in strength and size
- My Coffee: Memory function to make your perfect coffee with the touch of a button

Go to pages 33-39 to view the whole range.

aromaDouble Shot

senseFlow for coffee perfection.

Different coffees require the espresso shot to be heated at different temperatures to achieve the perfect result. sense**Flow** does this automatically, providing you with a delicious beverage again and again. Perfect for the decaf-lover, the separate container gives you the flexibility to create the perfect decaff coffee without the need to change the bean.

For an added boost.

aroma**DoubleShot** gives you that extra boost when you need it most. Because the second shot uses a new set of beans, there's no compromise on the flavour.

Made to measure.

Precisely the amount of coffee you want - exactly how you want it. variable**CupVolume** provides millimetre precision to cup sizes, so that your favourite coffee fits in your favourite cup perfectly.

Not only does it look good the coffee is good too.

The ideal *solution.*

Great for storing plates. Perfect for keeping them warm.

A sleek design and a flush finish make these drawers at home in any kitchen, whether they're simply used as extra storage or as a warming drawer. The warming drawers are ideal for heating coffee cups to the optimum temperature before use, as well as being able to keep food warm for up to an hour - perfect for a demanding lifestyle.

iQ 700
HW290562B

At a glance

- 290mm high
- Stainless steel bar handle
- Adjustable temperature range from 30-80°C
- soft**Close** - provides smooth, effortless closure
- Accommodates up to: 40 plates,120 espresso cups
- Weight capacity: 25kg

Go to pages 33-39 to view the whole range.



Dinner party guests are running late?

A warming drawer is the ideal solution. With an adjustable temperature range of 40°C-80°C, the warming drawer will warm dinnerware, but it can also keep food hot for up to 1 hour, safely and hygienically. Not only that, but you can use your warming drawer to prove dough, gently thaw delicate items and warm-up breads and pancakes.

Cleaning made simple.

The warming drawer's easy to clean smooth and hard wearing ceramic glass base is recessed, which allows for any spills to be easily contained.

Easy access.

The fully extendable pull-out drawer allows easy access to the contents and can accommodate up to 25kg.

No need to worry if your dinner guests are running late.

Welcome to a range *designed* around you.

For a perfectly integrated kitchen that is bespoke to you, look no further than the Siemens range of compact**45** cooking appliances. Whether you want a steam oven that has all the latest cooking innovations and active**Clean**® functions, a combination oven that is going to cook with both hot air and steam or a barista in the kitchen with our coffee centre model that is going to provide you with the perfect cup of coffee every morning. Siemens compact**45** appliances are designed to make cooking simple and enjoyable.

iQ 700

Exceptional design allied with seriously innovative technology is the basis of these, our premium models.

iQ 500

Exuding class and refinement, these machines unite first-class features with top-class technology.

iQ 300

Good looking appliances with Siemens build quality equipped with an attractive selection of smart features.

compact**45** steam ovens

Siemens steam and steam combination ovens are quick and easy to install as they don't require any plumbing.



A Energy
–20% Energy
eco+ More efficiency, more performance
TFT-Display
Steam combination oven
reddot design award winner 2012

iQ700

HB36D575B stainless steel
HB36D675B black
HB36D275B white

- Capacity: 35 litres
- light**Control** - and fascia provides perfect integration with Siemens appliances
- TFT clear**Text** display - provides clear vision from all angles
- 5 main functions - including hot air and steam combination
- 70 automatic programmes - for perfect results every time
- 1 memory function

A Energy
–20% Energy
eco+ More efficiency, more performance
Steam combination oven

iQ500

HB34D553B stainless steel

- Capacity: 35 litres
- 4 main functions - including hot air and steam combination
- 40 automatic programmes - perfect results every time

Steamer
Defrost
reddot design award winner 2013

iQ500

HB24D552B stainless steel

- Capacity: 38 litres
- 2 main functions - defrost and steam
- 20 automatic programmes - perfect results every time

Steamer

product design award 2016

iQ500

HB25D5L2B stainless steel

- Capacity: 22 litres
- 1 main function - steam
- 20 automatic programmes - for perfect results every time

compact**45** multi-function ovens with microwave

Offering standard baking and the speed of a traditional microwave, a great choice when space is an issue.

TFT-Display
activeClean®
3D hot air cooking
Intensive heat
reddot design award winner 2012

iQ700

HB86P575B stainless steel
HB86P675B black
HB86P275B white

- Capacity: 42 litres
- light**Control** - and fascia provides perfect integration with Siemens appliances
- TFT clear**Text** display - provides clear vision from all angles
- 12 main functions - including 3D hot air and intensive hot air
- 44 automatic combination programmes - for perfect results every time
- 6 memory functions - for your favourite foods
- active**Clean**® - self-cleaning system
- Max 1000W microwave power

ecoClean
3D hot air cooking

iQ500

HB84K552B stainless steel

- Capacity: 42 litres
- 6 main functions - including hot air grilling and combination operation
- 10 automatic combination programmes
- eco**Clean**® - never manually clean the oven again
- Max 900W microwave power

compact**45** microwave combination ovens

Allowing you to create a wider variety of meals.

ecoClean
Hot air grilling

iQ500

HB84E562B stainless steel

- Capacity: 36 litres
- 7 main functions - hot air and combination operation
- 11 automatic combination programmes - perfect results every time
- eco**Clean**® - never manually clean the oven again
- Max 1000W microwave power

compact**45** coffee centre

Coffee at the touch of a button.

iQ700

TK76K573GB stainless steel

- Electronic LCD clearText
- One touch function
- Frothing nozzle
- aroma**DoubleShot** - provides flexibility in strength and size
- My Coffee: Memory function to make your perfect coffee with the touch of a button

compact**45** microwave oven

A conventional microwave with the look and appearance of our compact**45** range.

iQ500

HF35M562B stainless steel

- Capacity: 36 litres
- 1 main function: microwave
- 5 automatic cooking programmes
- 4 automatic defrost programmes
- Max. 1000W microwave power

Microwave ovens

Perfect when you need food fast, Siemens microwave ovens feature easy to use electronic controls and automatic cooking programmes.

iQ500

HF25M5L2B stainless steel
HF25M6L2B black

- Capacity: 21 litres
- 1 main function: microwave
- 4 automatic cooking programmes
- 3 automatic defrost programmes
- Max. 900W microwave power

iQ500

HF24M562B stainless steel

- Capacity: 25 litres
- 1 main function : microwave
- 3 automatic cooking programmes
- 4 automatic defrost programmes
- Max. 900W microwave power

iQ500

HF15M562B stainless steel
HF15M662B black

- 595mm wide - suitable for 60cm wide unit
- Capacity: 17 litres
- 1 main function : microwave
- 3 automatic cooking programmes
- 4 automatic defrost programmes
- Max. 800W microwave power

iQ500

HF15M552B stainless steel

- 495mm wide - suitable for 50cm wide wall unit
- Capacity: 17 litres
- 1 main function : microwave
- 3 automatic cooking programmes
- 4 automatic defrost programmes
- Max. 800W microwave power

Warming and accessory drawers

The ideal solution for warming plates, a Siemens warming drawer will also keep food warm for up to 1 hour, safely and hygienically.

HW290562B stainless steel

- 290mm high
- Stainless steel bar handle
- Adjustable temperature range from 30-80°C
- soft**Close** - provides smooth, effortless closure
- Accommodates up to: 40 plates, 120 espresso cups
- Weight capacity: 25kg



HW140562B stainless steel

- 141mm high
- Stainless steel bar handle
- Adjustable temperature range from 30-80°C
- soft**Close** - provides smooth, effortless closure
- Accommodates up to: 12 plates, 80 espresso cups
- Weight capacity: 25kg

HW1405P2B stainless steel
HW1406P2B black
HW1402P2B white

- 141mm high
- Handleless push-pull opening
- Adjustable temperature range from 30-80°C
- Accommodates up to: 12 plates, 80 espresso cups
- Weight capacity: 25kg

HW1405P2B stainless steel

- 140mm high
- Accessory drawer
- Handless push-pull opening
- Weight capacity: 15kg

To view available accessories in the compact**45** range please ask your retailer or visit siemens-home.co.uk/store.

Installation diagrams

Compact and steam ovens

HB86P575B
HB86P675B
HB86P275B
HB84K552B
HB36D575B
HB36D675B
HB36D275B
HB34D553B
HB24D552B


min. 550
560+8
458+2
30
Ventilation in the base min. 50cm²
Back panel open

Built-under


Ventilation openings behind, min. 250cm²
min. 550
600
560+8
45
450
Back panels open
Ventilation area in the base, min. 50cm²

Built into half height and tall cabinet

Compact ovens

HB86P575B
HB86P675B
HB86P275B
HB84K552B


19 (*20)
4
450
min. 6
454
min. 550
454
595
531

* 20 mm for metal fascias


50
90
245
80
min. 550
450

Compact steam ovens

HB36D575B
HB36D675B
HB36D275B
HB34D553B
HB24D552B


19 (*20)
4
450
min. 6
454
min. 550
454
595
550

* 20 mm for metal fascias


min. 550
560+8
458+2
30
Ventilation in the base min. 50cm²
Back panel open

Wall steamer

HB25D5L2B


Steamer in a wall-hanging cupboard
min. 300
600
min. 18
300
362-365
382
min. 560+8
Back panel open
595
20


Steamer in the tall cupboard
min. 550
600
560+8
min. 45
Back panel open
300
382
380+2
595
20


Steamer corner installation
min.3
min.3


Steamer Front panel overhang
Overhang at top: Recess 362 = 6 mm Recess 365** = 3** mm
18
362-365**
6/3**
382
min. 300
14
18
Overhang at bottom: = 14 mm


Steamer Front panel overhang Installation in a tall cupboard
Overhang at top: = 1 mm
45
380
382
min. 550
1
1
Overhang at bottom: = 1 mm

Microwaves

HB84E562B
HF35M562B


Ventilation openings behind, min. 250cm²
min. 550
600
560+8
45
450
Back panels open
Ventilation area in the base, min. 50cm²


19 (*20)
4
450
min. 6
454
min. 550
454
595
563

* 20 mm for metal fascias


250
90
245
min. 550
80
450

Microwaves

HF25M5L2B
HF25M6L2B


min. 550
600
560+8
min. 45
Back panel open
320
382
380+2
595
20

Microwave in a tall cabinet



Microwave, corner installation


min. 300
600
min. 18
320
362-365
382
min. 560+8
Back panel open
595
20

Microwave in a wall hanging cabinet


Overhang at top: Recess 362 = 6 mm Recess 365** = 3** mm
18
362
365**
6/3**
382
min. 300
14
18
Overhang at bottom: = 14 mm

Microwave front panel overhang, built into a tall cabinet


Overhang at top: = 1 mm
45
380
382
min. 550
1
1
Overhang at bottom: = 1 mm

Microwave front panel overhang, built into a wall hanging cabinet

Microwave

HF24M562B


600
min. 550
560+8
Back panel open
45
45
515
388
385
380+2
595
min. 550
20

Built into a tall cabinet


Ventilation opening min. 250 cm²
Back panel open
600
min. 550
560+8
515
45
45
388
385
380+2
595
20

Built into a half height cabinet


380
388
4
4
min. 550

Measurements in mm. Line drawings are for reference only. Please download the latest installation guidelines from siemens-home.co.uk.
Siemens can not accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

Installation diagrams

Microwaves

HF15M562B
HF15M662B
HF15M552B


min. 300/ 320*
500/600
min. 18
453
362-365
Back panel open
18
382
min. 460+8 /560+8
495/595
20
18

Built into wall hanging cabinet


6/3*
Overlap (top) 362mm high niche = 6mm 365* high niche = 3mm*
362/ 365*
382
min. 300/320*
14
Overlap (bottom) = 14mm
*= values for models with grill

Microwave front panel overhang, built into a wall hanging cabinet

Compact coffee centre

TK76K573GB


min. 45
560+8
536
454
450+2
594
950*
20

Built into tall cabinet


536
560+8
min. 45
454
450+2
594
950*
20

Built into half height cabinet

*An installation height >950mm makes it difficult to fill the containers for beans and water which are fitted on the top


min. 45
20
560+8
594
454
450+2
590+2

The fully automatic espresso machine can be fitted above a warming drawer. An intermediate floor is not required.

N.B. Coffee machine should be fitted with a minimum gap 200mm from a corner/wall to allow access to the water tank and brewing unit.




Fully automatic espresso machine left-hand corner installation
right-hand corner installation
min. 200
min. 200

Warming drawer

HW290562B


min. 550
560+8
min. 20
880+4
595


20.5
3
290
287
525

Ovens with a height of 595 mm can be installed above a warming drawer in the HW 290 range. An intermediate floor is not required.

Warming drawer installed with a 60cm high single oven

Warming and accessory drawers

HW140562B
HW1405A2
HW1405P2B
HW1406P2B
HW1402P2B


min. 550
560+8
45
590+4
595


20.5
141
127
8
525

Compact appliances with a height of 454 mm can be installed above a warming drawer in the HW 140 range. An intermediate floor is not required.

Warming drawer installed with a 45cm high single oven

Measurements in mm. Line drawings are for reference only. Please download the latest installation guidelines from siemens-home.co.uk.
Siemens can not accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

Induction & ceramic hobs

Easy to clean,
easy to cook with.

Model shown; EH675MV17E

Enjoy a new cooking *experience.*

The Siemens hob range combines eye-catching design with razor-sharp looks, together with innovative technology and ergonomic design. All created to coordinate beautifully with other Siemens appliances.

flexInduction

A hob that fits in with your lifestyle, flex**Induction** is no-compromise cooking at its best.

Siemens flex**Induction** hobs are a must for diverse cooking. The cooking area can be tailored to your needs, enabling you to use a small area as traditional induction hobs with four or five separate zones, for boiling rice, for example, or you can choose to link the zones together to form one zone for larger cooking pans. The new extended cooking surface can accommodate pans of any size, even several pans placed anywhere on the surface at the same time. With all the advantages of induction cooking, flex**Induction** also includes boost settings, automatic pan recognition and touch**Slider** controls.

Each flex**Induction** zone uses four innovative elongated oval inductors beneath the glass, each of which can act independently to sense the presence of cookware on the hob. Only if cookware is detected will the individual inductors work, ensuring efficient operation whether a 10cm diameter milk pan is placed in one corner or a large griddle plate covers the whole zone. With only specific areas active at any particular time, no energy is wasted. And for an even more versatile cooking experience the newly designed triple flex**Induction** hob provides the ultimate in flexible cooking with three flex**Induction** zones, fitting in with your lifestyle, flex**Induction** is no-compromise cooking at its best.

Stop making dinner and start enjoying a cooking experience.

Single flex**Induction** model shown EH675MN27E

Hob accessories.

For additional cooking flexibility Siemens provide a range of accessories for our flex**Induction** hobs.

Teppan yaki.

Heating extremely quickly the Teppan Yaki is great for fast Japanese cooking. Perfect for a cooked breakfast or a healthy stir-fry, the pan comes in two sizes that fit across either three or four flex inductors.

Accessories code: 2 sizes available 40x20cm HZ390512 and 30x20cm HZ390511

Griddle pan.

Specially designed for use across four flex inductors the griddle pan maintains an even heat, perfect for frying steak.

Accessories code: HZ390522

Roasting dish with steamer.

Perfect for use with flexInduction hobs this multipurpose dish is a must when for cooking for a crowd. A removable steamer insert is available to compliment this dish and perfect for steaming vegetables.

Accessories code: Roasting dish HZ390011 and steamer insert HZ390012

For more details on the range of accessories available please ask your retailer or visit siemens-home.co.uk/store.

Speed.
Energy-efficiency.
Style.

Our traditional induction hob range feature automatic pan recognition ensuring that only the pan in contact with the surface heats up. Induction cooking is quicker than gas and much more energy efficient, allowing you to enjoy speedy food whilst being kinder to the environment.

Induction

Induction cooking is recognised as being one of the quickest, safest and most efficient methods of cooking available. When a pan with a ferrous or magnetic metal base is placed on the hob, the coil situated below the ceramic surface uses an electromagnetic field to create heat, almost instantly heating the pan. With only the base of the pan heated the cooking zone stays cooler.

Easier to clean and safer to use, because the ceramic cooking top is warmed only by the heat transferred back from the cookware and its contents, spillages are less likely to burn on, and there is normally no need to wait for the glass to cool down before simply wiping it over with a cloth. And if you turn on an induction hob without having a pot or pan on it, there is no risk of burning yourself, because the hob itself doesn't heat up.

Automatic pan recognition.

Energy-efficiency is at the heart of Siemens products, and is at the heart of automatic pan recognition. Only the area of the hob in contact with the pan receives energy, meaning energy isn't wasted by heating the entire unit. Not only will this lower your carbon footprint, but it will also reduce your utility bills.

Faster cooking made quicker.

Power boost increases the power output of selected zones by 50%, allowing precision heat when you need it most - perfect when time is of the essence.

Easier to clean and safer to use, Siemens Induction hobs stand out in your kitchen.

Model shown; EH801FM17E Induction hob

Precision control at the *touch of a button.*

The stylish design of the touch**Slider** sits flush to the appliance; similar to the touch pad of a laptop, technology and design enthusiasts alike will revel in its functionality. Not only does the touch**Slider** allow for a great degree of cooking control, it's also easy to clean as there are no protruding parts.

touchSlider

Designed with sleek controls that are simple to use, and state-of-the-art technology that gives you a precise control over your hob. When activated, the power level is displayed for each zone, allowing you to monitor their status at a glance.

The stylish and ergonomic touch**Slider** allows you to simply slide your finger across the temperature scale to the desired setting, with control advances in half-levels from 1 to 9. You can also touch the desired level directly for faster adjustments to the cooking zone temperature. All 60cm models are controlled with one single 9.5cm touch**Slider** control, while the extra wide models have one, four or five 8cm touch**Slider** controls.

Easy to monitor status.

Greater control with touch**Slider.**

Model shown; EH975SK11E

Induction hobs are perfect for a wide variety of cooking and in a range of finishes you can truly make your kitchen bespoke.

Models shown; TK76K573GB compact**45** coffee centre, HB36D575B compact**45** hot air steam oven, HB86P575B compact**45** multi-function oven with microwave, HB36D575B compact**45** hot air steam oven. Please note that the compact**45** coffee centre does not have a TFT clear**Text** display.

Perfectly *framed.*

With their slim 4mm profile and tough, satin and scratch-resistant wipe-clean surface, it's easy to see why our smooth, high-gloss finish glass induction hobs are the perfect choice for many people.



Facetted design.

Great for blending in with your existing kitchen and worktop or maybe a Teppan yaki domino hob, a facetted induction hob features a slightly raised edge around its circumference.



Flat frame design.

Perfect for coordinating with the rest of your kitchen, your hood and other Siemens appliances, a modern flat frame design induction hob has a sleek stainless-steel frame around its edge.



Flush-fitting design.

The flush-fitting smooth glass finish makes this induction hob practical and easy to clean, whilst sitting flush and neat in your contemporary kitchen.



Bevelled-edge design.

A traditional bevelled edge design induction hob is easily blended into any kitchen aesthetic, yet still features all the great flexibility of an induction hob.

Enjoy a new cooking *Experience.*

flex**Induction** is no-compromise cooking at its best.

The iQ700 flex**Induction** range is available in a variety of models. Including the extra wide twin flex**Induction** with a triple-circuit cooking zone to a single flex**Induction** hob with 2 induction zones. With differing sizes, trims and colours to choose from the range also boasts up to 17 power levels and all with the simplicity of the touch**Slider** temperature scale to select the desired heat setting. There is something to suit all kitchen styles and cooking preferences.

iQ700
EH975MV17E

At a glance

- 3 flex**Induction** zones -provides flexibility in cooking
- 5 induction zones
- 17 power levels - for greater temperature control
- touch**Slider** operation - smooth and accurate control
- Front facette with side trim
- Optional accessories - griddle plate, teppan yaki, roasting dish and steamer insert

Go to pages 57-67 to view the whole range.

912 mm Width | flexInduction | touchSlider

Tailored to your needs.

flex**Induction** is a must for diverse cooking. The cooking area is tailored to your needs, enabling you to use a small area for boiling rice, or the whole strip for large cooking pots. A hob that fits in with your lifestyle, flex**Induction** is no-compromise cooking at its best.

The options are endless.

The triple flex**Induction** model allows you to have numerous cooking choices. The model boasts 5 induction zones in total. 2 flex**Induction** zones with different usage possibilities either 2 single induction zones of 480cm² or 1 full zone of 960cm². The central area of the hob has 1 flex**Induction** zone which is 720cm².

Precision control at the touch of a button.

The stylish design of the touch**Slider** sits flush to the appliance; similar to the touch pad of a laptop, technology and design enthusiasts alike will revel in its functionality. Not only does the touch**Slider** allow for a great degree of cooking control, it's also easy to clean as there are no protruding parts.

Stop making dinner and start enjoying a cooking experience.

Speed. Energy-efficiency. *Style.*

Welcome to induction cooking.

With the iQ500 induction range cooking could not be easier. Recognised as being one of the quickest, safest and most efficient methods of cooking available Siemens offer a collection of models to suit all requirements. From the extra wide 912mm models with 5 induction zones, as featured below, to the 592mm models with 4 induction zones. Some models have the re**Start** and quick**Start** functions and most can be installed with our stylish domino hobs to add versatility, catering for all methods of cooking whilst creating your own bespoke look.



iQ700
EH975SK11E

At a glance

- 5 induction zones - with automatic pan recognition
- 1 dual/extendable zone - for large or smaller pans
- Power boost - setting for when time is limited
- Control panel pause - shuts down power
- Can be installed with domino hob

Go to pages 57-67 to view the whole range.

912 mm Width | flexInduction | touchSlider

Lowering the cost of every meal through energy-efficiency.

Energy-efficiency is at the heart of Siemens products, and is at the heart of automatic pan recognition. Only the area of the hob in contact with the pan receives energy, meaning energy isn't wasted by heating the entire unit. Not only will this lower your carbon footprint, but it will also reduce your utility bills.

Be in control of the uncontrollable.

A busy lifestyle can involve being pulled in many directions. Should that happen while you're cooking, control panel pause will shut down all power at the touch of a button, ensuring that your meal isn't ruined. At the second touch all will resume as if you were never interrupted.

All the power at the touch of a button.

Speed. Power. Efficiency. Power boost increases the power output of selected zones by 50%, allowing precision heat when you need it most - perfect when time is of the essence.

Induction cooking is quicker than gas and much more energy efficient.

Gas hobs

High-performance,
high-speed.

Contemporary yet *Traditional.*

Beautiful, durable, black ceramic glass base with cast iron pan supports for a contemporary look.

The stunning ceramic black glass hobs offer a range of carefully designed configurations which coordinate perfectly with the Siemens domino collection, to give the ultimate in flexible and bespoke cooking options. Many of the hobs are equipped with the latest high-speed wok burner technology, offering you a faster, stronger heat for quick cooking and convenience.

iQ700
ER926SB70E

At a glance

- Black ceramic glass
- 1 x 6.0kW dual wok burner
- 4 gas burner hobs - includes 1 high speed, 2 standard and 1 economy burner
- 3 cast iron pan supports - dishwasher safe
- Can be installed with Siemens domino hobs

Go to pages 57-67 to view the whole range.

912 mm
Width

Total convenience guaranteed.

Swift, fluid motions and ease of use are the focal points of control dial ignition. Ignite the flame whilst setting its intensity by simply turning and pushing the individual hob control with one hand, whilst preparing food with the other. Total convenience guaranteed.

High-performance. High-speed. Experience the wok burner.

The only way to cook a stir fry - enjoy precision cooking with the dual controlled wok burner. The inner and outer flame can be controlled independently, with the power burner allowing for extremely fast cooking.

Best of both worlds.

When your heart is still ruled by the traditional method of cooking with gas but you would like to have the option of being more flexible with your cooking, you can add the more energy efficient flex**Induction** domino hob or really stand out of the crowd with the Teppan yaki cooktop enjoying the best of both worlds.

Traditional precision cooking that puts you in the driving seat.

High performance *High speed.*

Highest quality stainless steel for a sleek, professional finish.

The stainless steel range of gas hobs feature wok burners that deliver ranges of power depending on the model, meeting the increasing demand for high speed cooking. The classic yet modern looking cast iron pan supports can be easily removed and placed in the dishwasher for easy cleaning.



iQ500
EC745RC90E

At a glance

- Stainless steel finish
- 1 x 5.0 kW dual control wok burner
- 4 gas burner hobs - including 1 high speed burner, 2 standard and 1 economy burner
- 3 cast iron supports - dishwasher safe
- Flame failure safety device

Go to pages 57-67 to view the whole range.

702 mm
Width

Ideal for the perfect jus.

Ideal for simmering the perfect jus, the simmer burner cap fits on the smallest burner and diffuses the minimum power heat over a wider surface area, avoiding hot spots, perfect for simmering.

High-performance. High-speed. Experience the wok burner.

The only way to cook a stir fry - enjoy precision cooking with the dual controlled wok burner. The inner and outer flame can be controlled independently, with the power burner allowing for extremely fast cooking.

Safety first.

When you have a window open nearby whilst cooking, the flame can sometimes be extinguished. All Siemens gas hobs feature a flame failure safety device, which cuts-off the supply of gas to the individual burner should the flame accidentally go out.

The only way to cook a stir fry - enjoy precision cooking with the dual controlled wok burner.

Mix and *Match.*

The modular domino hobs can be mixed and matched with each other and even with other hobs in the Siemens range.

Whether it is an induction hob with a single wok burner or a Teppan yaki and domino gas hob, Siemens domino hobs are designed to fit side by side, creating individual, bespoke cooking areas for your kitchen or living space.



iQ 700
Teppan Yaki ET475MY11E

At a glance

- Teppan yaki - extremely quick heat for Japanese style cooking
- 2 cooking zones
- 9 power levels for greater temperature control
- touch**Slider** operation for smooth and accurate control
- Ceramic black glass cover - provides a seamless look with other Siemens appliances

Go to pages 57-67 to view the whole range.



iQ 700
Wok burner ER326AB70E

At a glance

- Width: 302mm
- 1 x 6.0kW dual control wok burner
- Cast iron pan supports - dishwasher safe
- Front facette with side trim

Go to pages 57-67 to view the whole range.

Traditional Japanese cooking was made to be shared.

The Teppan yaki cook top offers a healthy cooking experience as only a small amount of oil is needed. Ideal for dinner parties as the two heating zones allow you to divide the surface so you can continue cooking on one section whilst keeping food warm on the other for your guests to enjoy.



All the features you would expect.

Though small in size the domino hob collection have all the top line controls and features as our full size models. The flex**Induction** domino and Teppan yaki feature touch**Slider** for precision control at the touch of button and both the domino gas hob and Wok burner make them easy to clean with their dishwasher safe cast iron supports.

High-performance. High-speed. Experience the wok burner.

The only way to cook a stir fry - enjoy precision cooking with the dual controlled wok burner. The inner and outer flame can be controlled independently, with the power burner allowing for extremely fast cooking.

Domino hobs; cooking pleasure tailored to you.

Welcome to a range ***designed*** around you.

Siemens hobs bring together eye-catching looks, innovative technology and ergonomic design. Whether you choose cutting-edge innovation with our triple flex**Induction**, or a more traditional stainless steel gas cook-top, all of our hobs are built with easy to use temperature controls. You can choose the modern touch**Slider** on induction or a choice of mounted knobs or electronic controls on ceramic bases. Which ever design you decide, all of our hobs are designed to coordinate beautifully with other Siemens appliances.

iQ 700
Exceptional design allied with seriously innovative technology is the basis of these, our premium models.

iQ 500
Exuding class and refinement, these machines unite first-class features with top-class technology.

iQ 300
Good looking appliances with Siemens build quality equipped with an attractive selection of smart features.

flexInduction hobs

flex**Induction** hobs are a must for diverse cooking enabling you to tailor the zones to your needs. flex**Induction** just got functional.



912 mm Width | flexInduction | touchSlider

iQ700

EH975MV17E black glass with stainless steel side trim

- 3 flex**Induction** zones - provides flexibility in cooking
- 5 Induction zones
- 17 power levels - for greater temperature control
- touch**Slider** operation - smooth and accurate control
- Power boost function - shorter heating times
- Can be installed with a domino hob
- Front facette with side trim
- Optional accessories: griddle plate, teppan yaki, roasting dish, steamer insert



602 mm Width | flexInduction | touchSlider | reddot design award winner 2012

iQ700

EH675MV17E black glass

- 2 flex**Induction** zones - provides more flexibility in cooking
- 4 Induction cooking zones
- 17 power levels - greater temperature control
- touch**Slider** operation - smooth and accurate control
- Power boost function - shorter heating times
- Front facette with side trim
- Optional accessories: griddle plate, teppan yaki, roasting dish, steamer insert



912 mm Width | flexInduction | touchSlider | reddot design award winner 2012

iQ700

EH975SZ17E black glass with stainless steel side trim

- 2 flex**Induction** zones - provide more flexibility in cooking
- 5 Induction cooking zones
- 1 triple-circuit central cooking zone
- 17 power levels - greater temperature control
- touch**Slider** operation - smooth and accurate control
- Power boost function - shorter heating times
- Front facette with side trim
- Can be installed with a domino hob
- Optional accessories: griddle plate, teppan yaki, roasting dish, steamer insert

812 mm Width | flexInduction | touchSlider

iQ700

EH879SP17E metal look glass with stainless steel side trim
EH875MP17E black glass with stainless steel side trim

- 1 flex**Induction** zone - provides more flexibility in cooking
- 5 Induction cooking zones
- 17 power levels - greater temperature control
- touch**Slider** operation - smooth and accurate control
- Power boost function - shorter heating times
- Side profiles (EH879SP17E)
- Front facette with side trim (EH875MP17E)
- Can be installed with domino hob
- Optional accessories: griddle plate, teppan yaki, roasting dish, steamer insert



572 mm Width | flexInduction | touchSlider

iQ700

EH601MV17E black glass

- 2 flex**Induction** zones - provide more flexibility in cooking
- 4 Induction cooking zones
- 17 power levels - greater temperature control
- touch**Slider** operation - smooth and accurate control
- Flush fitting design
- Optional accessories: griddle plate, teppan yaki, roasting dish, steamer insert



602 mm Width | flexInduction | touchSlider

iQ700

EH679MN27E metal look glass with stainless steel side trim
EH675MN27E black glass with stainless steel side trim

- 1 flex**Induction** zone - provides more flexibility in cooking
- 4 Induction cooking zones
- 17 power levels - greater temperature control
- touch**Slider** operation - smooth and accurate control
- Power boost function - shorter heating times
- Side profiles (EH679MN27E)
- Front facette with side trim (EH675MN27E)
- Can be installed with domino hob
- Optional accessories: griddle plate, teppan yaki, roasting dish, steamer insert

592 mm Width | flexInduction | touchSlider

iQ500

EH651FV17E black glass

- 2 flex**Induction** zones - provides more flexibility in cooking
- 4 Induction cooking zones
- 17 power levels - greater temperature control
- touch**Slider** operation - smooth and accurate control
- Power boost function - shorter heating times
- quick**Start** function - start cooking quickly
- 3 sided bevelled frameless finish



592 mm Width | flexInduction

iQ300

EH651BN17E black glass

- 1 flex**Induction** zone - provide more flexibility in cooking
- 4 induction cooking zones
- 17 power levels - greater temperature control
- touch**Control** - experience intuitive control
- quick**Start** function - start cooking quickly
- 3 sided bevelled frameless finish

Induction hobs

Convenient cooking with Siemens automatic pan recognition technology. Induction hobs are also up to 35% more resource efficient than cooking with gas.



912 mm Width
Induction
touchSlider

iQ500

EH975SK11E black glass with stainless steel side trim

- 5 induction cooking zones
- 1 dual/extendable zone - accommodates larger pans
- 17 power levels for greater temperature control
- touch**Slider** operation - smooth and accurate control
- Power boost setting - shorter heating times
- Front facette with side trim
- Can be installed with domino hob



912 mm Width
Induction
touchSlider

iQ500

EH975ME11E black glass with stainless steel side trim

- 4 induction cooking zones
- 17 power levels - greater temperature control
- touch**Slider** operation - smooth and accurate control
- Power boost setting - shorter heating times
- Front facette with side trim



812 mm Width
Induction
touchSlider

iQ500

EH875FM27E black glass with stainless steel side trim

- 5 induction cooking zones
- 17 power levels - greater temperature control
- touch**Slider** operation - smooth and accurate control
- Power boost function - shorter heating times
- quick**Start** function - start cooking quickly
- Energy consumption display
- Front facette with side trim
- Can be installed with domino hob



795 mm Width
Induction
touchSlider

iQ300

EH845FL17E black glass with all-round stainless steel trim

- 4 induction cooking zones
- 17 power levels - greater temperature control
- touch**Slider** operation - smooth and accurate control
- Power boost function - shorter heating times
- quick**Start** function - start cooking quickly
- Energy consumption display
- All round trim

584 mm Width
Induction
touchSlider

iQ300

EH645FE17E black glass with all-round stainless steel trim

- 4 induction cooking zones
- 17 power levels - greater temperature control
- touch**Slider** operation - smooth and accurate control
- Power boost function - shorter heating times
- quick**Start** function - start cooking quickly
- Energy consumption display
- All round trim



592 mm Width
Induction

iQ300

EH631BE18E black glass

- 4 induction cooking zones
- 17 power levels - greater temperature control
- touch**Control** - experience intuitive control
- Power boost function - shorter heating times
- quick**Start** function - start cooking quickly
- Bevelled front



792 mm Width
Induction
touchSlider

iQ500

EH801FM17E black glass

- 5 induction cooking zones
- 17 power levels - greater temperature control
- touch**Slider** operation - smooth and accurate control
- Power boost function - shorter heating times
- quick**Start** function - start cooking quickly
- Energy consumption display
- Flush fitting design



602 mm Width
Induction
touchSlider

iQ500

EH675FE27E black glass with stainless steel side trim

- 4 induction cooking zones
- 17 power levels - greater temperature control
- touch**Slider** operation - smooth and accurate control
- Power boost function - shorter heating times
- quick**Start** function - start cooking quickly
- Energy consumption display
- Front facette with side trim
- Can be installed with domino hob



572 mm Width
Induction
touchSlider

iQ500

EH601FE17E black glass

- 4 cooking zones
- 17 power levels for greater temperature control
- touch**Slider** operation - smooth and accurate control
- Power boost function - shorter heating times
- quick**Start** function - start cooking quickly
- Energy consumption display
- Flush fitting design



592 mm Width
Induction

iQ300

EH631BA68B black glass

- 4 induction cooking zones
- 17 power levels - greater temperature control
- touch**Control** - experience intuitive control
- Power boost function - shorter heating times
- quick**Start** function - start cooking quickly
- 13A plug - easy install
- Bevelled front



592 mm Width
Induction

EH611BA18E black glass

- 4 induction cooking zones
- 17 power levels - greater temperature control
- touch**Control** - experience intuitive control
- Power boost function - shorter heating times
- quick**Start** function - start cooking quickly
- Frameless design

Quick-lite ceramic hobs

Our ceramic hobs look stylish in any modern kitchen and feature touch**Control** for easy use.



802 mm Width

ET851FC17E black glass

- 4 quick-lite cooking zones
- 3 dual/extendable zones - greater flexibility
- 17 power levels - greater temperature control
- touch**Slider** operation - smooth and accurate control
- re**Start** function



765 mm Width

ET845BN17E black glass with all-round stainless steel trim

- 4 quick-lite cooking zones
- 2 dual/extendable zones - greater flexibility
- 17 power levels - greater temperature control
- touch**Control** - experience intuitive control
- re**Start** function

583 mm Width

ET645HF17E black glass with all-round stainless steel trim

- 4 quick-lite cooking zones
- 1 dual/extendable zone - greater flexibility
- 17 power levels - greater temperature control
- touch**Control** - experience intuitive control
- re**Start** function

592 mm Width

ET651HE17E black glass

- 4 quick-lite cooking zones
- 17 power levels - greater temperature control
- touch**Control** - experience intuitive control
- re**Start** function
- 3 sided bevelled frameless finish



583 mm Width

ET645CE17E black glass with all-round stainless steel trim

- 4 quick-lite cooking zones
- 9 power levels - greater temperature control
- Side mounted control knobs

Ceramic glass gas hobs

A contemporary twist on a traditional gas cook-top and easy to clean too.

912 mm Width

iQ700

ER926SB70E black glass with stainless steel side trim

- 1 x 6.0kW dual control wok burner
- 4 gas burners - includes 1 high speed, 2 standard and 1 economy burner
- 3 cast iron pan supports - dishwasher safe
- Ignition via control dials
- Can be installed with domino hob



710 mm Width

iQ700

ER726RB71E black glass with stainless steel side trim

- 1 x 4.2kW dual control wok burner
- 4 gas burners - includes 1 high speed, 2 standard and 1 economy burner
- 2 cast iron pan supports - dishwasher safe
- Ignition via control dials
- Can be installed with domino hob



602 mm Width

iQ700

ER626PB70E black glass with stainless steel side trim

- 4 gas burners - includes 1 high speed, 2 standard and 1 economy burner
- 2 cast iron pan supports - dishwasher safe
- Ignition via control dials

Tempered glass gas hobs

Cooking made stylish with tempered glass hobs.

710 mm Width

iQ300

EP716QB91E black glass

- 1 x 4.0kW wok burner
- 4 gas burners - includes 1 high speed, 2 standard and 1 economy burner
- 5 individual cast iron pan supports - dishwasher safe
- Ignition via control dials

590 mm Width

iQ300

EP616HB91E black glass

- 1 x 3.3kW wok burner
- 3 gas burners - includes 2 standard and 1 economy burner
- 2 individual cast iron pan supports - dishwasher safe
- Ignition via control dials

Stainless steel gas hobs

Perfect for your modern kitchen choose between a 4, 5 or 6 gas burner to suit your cooking needs.



915 mm Width

iQ500

EC945TB91E stainless steel

- 2 x 3.3kW wok style burners
- 4 gas burners - includes 2 standard and 2 economy burners
- 3 cast iron pan supports - dishwasher safe
- Ignition via control dials



702 mm Width

iQ500

EC745RC90E stainless steel

- 1 x 5.0kW dual control wok burner
- 4 gas burners - includes 1 high speed, 2 standard and 1 economy burner
- Simmer cap - great for sauces
- 3 cast iron pan supports - dishwasher safe
- Ignition via control dials

582 mm Width

iQ500

EC645HC90E stainless steel

- 1 x 3.3kW wok style burner
- 3 gas burners - includes 2 standard and 1 economy burner
- Simmer cap - great for sauces
- 2 cast iron pan supports - dishwasher safe
- Ignition via control dials



702 mm Width

iQ300

EC715RB90E stainless steel

- 1 x 3.3kW wok style burner
- 4 gas burners - includes 1 high speed, 2 standard and 1 economy burner
- 3 cast iron pan supports - dishwasher safe
- Ignition via control dials

582 mm Width

iQ300

EC615PB90E stainless steel

- 4 gas burners - includes 1 high speed, 2 standard and 1 economy burner
- 2 cast iron pan supports - dishwasher safe
- Ignition via control dials



580 mm Width

EB615HB90E stainless steel

- 1 x 3.3kW wok style burner
- 3 gas burners - includes 1 high speed, 1 standard and 1 economy burner
- 2 cast iron pan supports - dishwasher safe
- Ignition via side control dials

Domino hobs

Create your own bespoke cooking area, mixing and matching to suit your needs. All domino hobs sit seamlessly side by side and with other Siemens hobs.

flexInduction | touchSlider | 302 mm Width

iQ700

flexInduction hob EH375MV17E black glass with stainless steel side trim

- 1 flex**Induction** zone - provides more flexibility in cooking
- 2 Induction zones
- 17 power levels - for greater temperature control
- touch**Slider** operation - smooth and accurate control
- Power boost function - shorter heating times
- Front facette with side trim

touchSlider | 392 mm Width

iQ700

Teppan yaki ET475MY11E stainless steel trim

- Teppan yaki – extremely quick heat for Japanese style cooking
- 2 cooking zones
- 9 power levels - greater temperature control
- touch**Slider** operation for smooth and accurate control
- Removable ceramic black glass lid
- Front facette with side trim

302 mm Width

iQ700

Wok burner ER326AB70E black glass with stainless steel side trim

- 1 x 6.0kW dual control wok burner
- 1 cast iron pan support - dishwasher safe
- Ignition via control dials

iQ700

Gas hob ER326BB70E black glass with stainless steel side trim

- 2 gas burners - includes 1 high speed and 2 standard
- 1 cast iron pan support - dishwasher safe
- Ignition via control dials

Domino hob accessories



Accessories code: HZ394301

Possible combinations:



L	X
302	572
392	662

L	X
302	874
392	964

L	X
602	872
812	1082
912	1182

When installing a domino unit right next to a hob, an assembly kit (HZ394301) is required.

When installing two or more domino units side-by-side, one or more assembly kits are required (2 units = 1 assembly kit, 3 units = 2 assembly kits, etc.).

Measurements in mm. Line drawings are for reference only. Please download the latest installation guidelines from siemens-home.co.uk. Siemens can not accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

Installation diagrams

EH975MV17E
EH975SZ17E
EH975SK11E


520
912
**51
min. 60/50
880 +2 -0
490-500 +2 -0
*min. 40
min. 600
min. 50
***min. 20

* Minimum distance from the hob cut-out to the wall
** Maximum installed depth
*** Min. 30 with a fitted oven underneath



EH675MV17E
EH679MN27E
EH675MN27E
EH675FE27E
EH651FV17E


520
602
**51
min. 60/50
560 +2 -0
490-500 +2 -0
*min.40
min. 600
min.50
***min.20

* Minimum distance from the hob cut-out to the wall
** Maximum installed depth
*** Min. 30 with a fitted oven underneath



EH601MV17E
EH601FE17E




min. 70
min. 45
Drawer
20
①

① Ventilation gap must be present.


512
572
56**
*min. 40
min. 50
min. 600
min. 30

* Minimum distance from the hob cut-out to the wall
** Maximum installed depth


max. 1mm
6.5+0.5
min. 50
576±1
560+2
500+2
516±1
R 5
R 10
min. 50

EH879SP17E
EH875MP17E
EH875FM27E


520
812
**51
50/60
750-780 +2 -0
490-500 +2 -0
*min. 40
min. 600
min. 50
***min. 20

* Minimum distance from the hob cut-out to the wall
** Maximum recessed depth
*** With built-under oven min. 30



EH651BN17E
EH631BE18E
EH631BA68B
EH611BA18E


522
592
**51
60/50
560 +2 -0
490/500 +2 -0
*min.40
min. 600
min. 50
***min. 20

* Minimum distance from the hob cut-out to the wall
** Maximum recessed depth
*** Min. 30 with a fitted oven underneath



EH801FM17E




min. 70
min. 45
Drawer
20
①

① Ventilation gap must be present.


512
792
56**
*min.40
min.50
min. 600
min. 30

* Minimum distance from the hob cut-out to the wall
** Maximum installed depth


max. 1 mm
6.5+0.5
min.50
796±1
780+2
500+2
516±1
R 5
R 10
min.50

EH975ME11E


350
912
51**
min. 60
*min. 40
880+2
330+2
min. 450
min. 50
min. 20

* Minimum distance from the hob cut-out to the wall
** Maximum recessed depth

EH845FL17E


517
795
**53
780 +2 -0
500 +2 -0
*min.40
min. 600
min.50
***min.20

* Minimum distance from the hob cut-out to the wall
** Maximum recessed depth
*** With built-under oven min. 30

EH645FE17E


514
584
**53
min. 60-50
560 +2 -0
490-500 +2 -0
*min. 40
min. 50
min. 600
***min. 20

* Minimum distance from the hob cut-out to the wall
** Maximum recessed depth
*** Min. 30 with a fitted oven underneath

ET845BN17E


507
765
**48
min. 60
750+2
490+2
*min. 70
min. 50
min. 600
min. 20

* Minimum distance from the hob cut-out to the wall
** Maximum recessed depth

ET645HF17E


513
583
**49
min. 60-50
560+2
490-500+2
*min. 70
min. 50
min. 600
min. 20

* Minimum distance from the hob cut-out to the wall
** Maximum recessed depth

ET851FC17E


522
802
**45
min. 50
780+2
500+2
*min. 80
min. 50
min. 600
min. 20

* Minimum distance from the hob cut-out to the wall
** Maximum recessed depth

Measurements in mm. Line drawings are for reference only. Please download the latest installation guidelines from siemens-home.co.uk.
Siemens can not accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

Installation diagrams

ET651HE17E


522
592
**45
min. 60-50
560+2
490-500+2
*min. 70
min. 50
min. 600
min. 20

* Minimum distance from the hob cut-out to the wall
** Maximum recessed depth

ER326BB70E


**
44
43
520
302
47
62
45
270+2
min. 50
490-500+2
min. 600
*min. 100
min. 30

* Minimum distance from the hob cut-out to the wall
** Position of the gas connection in the cut-out

ET645CE17E


513
583
**48
min. 60-50
560+2
490-50 0+2
*min.70
min. 50
min. 600
min. 20

* Minimum distance from the hob cut-out to the wall
** Maximum recessed depth

ER926SB70E


**
26
42
520
912
57
59
45
min. 50
850±1
490±1
*min. 150
min. 600
min. 30

* Minimum distance from the hob cut-out to the wall
** Position of the gas connection in the cut-out

ER726RB71E


**26
21
520
710
47
53
45
min. 55
560±1
490±1
*min. 150
min. 600
min. 30

* Minimum distance from the hob cut-out to the wall
** Position of the gas connection in the cut-out

ER626PB70E


**
26
21
520
602
47
53
45
min. 50
560±1
490±1
*min. 100
min. 600
min. 30

* Minimum distance from the hob cut-out to the wall
** Position of the gas connection in the cut-out

EP716QB91E


**
26
19-29
520
710
58
50
45
min. 55
560 +2 -0
480-490 +2 -0
*min. 150
min. 600
min. 30

* Minimum distance from the hob cut-out to the wall
** Position of gas connection in the cut-out


min. 55
716
min. 560-max. 675
526±1
490+2
R 5
R 8
10 -0
max. chamfer 1 mm

for installation flush with surrounding surfaces

EP616HB91E


**
26
19-29
520
590
58
50
45
min. 50
560 +2 -0
480-490 +2 -0
*min. 100
min. 600
min. 30

* Minimum distance from the hob cut-out to the wall
** Position of gas connection in the cut-out


min. 50
596±1
560
526±1
490+2
R 5
R 8
10 +0.5 -0
Chamfer max. 1 mm

for installation flush with surrounding surfaces

EC945TB91E


**
31
43-53
520
915
53
60
45
min. 50
850 +2 -0
490-500 +2 -0
*min. 150
min. 600
min. 30

* Minimum distance from the hob cut-out to the wall
** Position of the gas connection in the cut-out

EC745RC90E
EC715RB90E


**
26
19-29
520
702
52
50
45
min. 55
560 +2 -0
480-490 +2 -0
*min. 150
min. 600
min. 30

* Minimum distance from the hob cut-out to the wall
** Position of the gas connection in the cut-out

EC645HC90E


**
26
19-29
520
582
52
50
45
min. 50
560 +2 -0
480-490 +2 -0
*min. 100
min. 600
min. 30

* Minimum distance from the hob cut-out to the wall
** Position of the gas connection in the cut-out

EH375MV17E


520
302
**53
270 +2 -0
min. 60/50
490-500 +2 -0
min. 600
*min. 40
min. 50
20/30 with oven

* Minimum distance from the hob cut-out to the wall
** Maximum installed depth

ET475MY11E


520
392
**83
min. 60-50
360+2
490-500+2
*min.55
min. 50
min.600
min.30

* Minimum distance from the hob cut-out to the wall
** Maximum recessed depth

ER326AB70E


**
44
43
520
302
57
62
45
270+2
min. 50
490-500+2
min. 600
min. 30
*min. 100

* Minimum distance from the hob cut-out to the wall
** Position of the gas connection in the cut-out

Measurements in mm. Line drawings are for reference only. Please download the latest installation guidelines from siemens-home.co.uk.
Siemens can not accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

SIEMENS
SIEMENS

Hoods

Outstanding extraction,
outstanding engineering.

Model shown: LD97AA670B down**Draft** hood

Enjoy a *fresher kitchen.*

Banish unwanted steam, grease and cooking smells from your kitchen, no more misted windows, or greasy surfaces just fresh-smelling surroundings.

With open plan living becoming more and more popular, a quiet and efficient extractor is necessary.

The technology built into Siemens hoods eliminates grease, steam and odours, effortlessly and quietly from your cooking space. We know that a kitchen is not only a place to cook; it is a place to entertain, relax after a hard day's work, or spend time with friends and family. The motors in our cooker hoods and specially designed housing mean an even quieter operation and fewer disturbances for you.

An ultra-sound sensor detects the level of steam or air and adjusts the extraction power automatically. You can use the intensive setting to temporarily boost the extraction rate to cope with particularly demanding cooking conditions, for instance when stir-frying. Models that feature this will revert back to normal automatically after ten minutes so you don't have to remember to switch it back yourself.

Ideal for removing strong, lingering cooking odours like curry or fish, or simply to keep your kitchen fresh throughout the day the interval operation setting will turn the hood on to ventilate the kitchen for a couple of minutes every hour. Some models even have an automatic run-on facility, the hood works for an additional ten minutes to deal with any lingering cooking odours before switching itself off.

Beautifully designed the hoods feature control options that coordinate with Siemens iQ700 ovens and compact appliances; five control options, light**Control** and electronic soft buttons. When you are busy cooking, you shouldn't have to stop to think about how your cooker hood works. That's why we put a lot of effort into making our hood intuitive and easy to use. Our lighting contributes to this, both illuminating your hob as well as making it an attractive feature.

How to choose *your hood.*

With the trend for open-plan living, a quiet and efficient extractor is essential to deal with the strong cooking odours as well as the grease-laden air that can otherwise linger throughout the house. There are two vital points to consider when choosing a hood, the first is whether you want the hood to be ducted or re-circulating, and the second is its power rating. Here are some helpful pointers.

Ducted or recirculated?

For optimum performance, your extractor hood should be ducted to the outside of the house, so that the extracted air is vented outside. But sometimes this is not practical, so most Siemens hoods can also operate in re-circulating mode; where the air is passed through the metal filter to remove grease, and then through a carbon filter to remove odours before being directed back into the kitchen. Although the extraction rate is slightly lower when using this method than ducted extraction and the carbon odour filter will need to be replaced, re-circulating the air offers an energy efficient benefit; cool air is retained in the home in the summer and warm air does not vent out during winter months.

The power to perform.

Your chosen hood must be powerful enough to effectively remove moisture and cooking odours from your kitchen. The hood should be able to change the air in the kitchen 10 times per hour. Using this quick calculation you can check whether a hood is sufficiently powerful. Firstly, calculate the volume of the kitchen (H x W x D metres). Next multiply that figure by 10. The resulting figure is the maximum extraction rate you require.



For example:
Room; 4m x 4m x 2.5m = $40m^3$;
10 changes per hour =
10 x $40m^3$ = $400m^3/h$,
so the hood must achieve
a minimum of $400m^3/h$.

Complete freedom to plan *your kitchen.*

The down**Draft** hood provides a modern extraction solution that perfectly integrates into your kitchen without compromising on design.

With this style solution in mind, the new Siemens down**Draft** hood emerges and disappears with the touch of a button and with its convenient LED light strip aiming the focus on what you are cooking, no space is lost. Due to its unique design and placement the down**Draft** hood not only catches all unwanted odours but it also catches every eye.

iQ700
LD97AA670B

At a glance

- touch**Control** with digital display - for ease of use
- soft**Light** with dimmer function - creates ambiance
- 1 x LED light strip
- 3 power settings
- 2 intensive settings - power boost for extra strong smells
- Grease and charcoal saturation indicators - time to change the filter
- Automatic after running - ensures no smells linger
- Auto intensive revert - keeps energy consumption low
- Max extraction rate: 510 m^3/h
- Max noise level: 49 dBA re 20 μPa (power level 3 ducted circulation)

Go to pages 77-87 to view the whole range.

◂ 880 mm ▸
Width

Space saving.

Banish unwanted steam, grease and cooking smells from your kitchen, and not have to worry about where to place that unsightly hood. Siemens new down**Draft** hood is conveniently placed under the counter-top so unless you want to see it, the hood only needs to be on show when you are cooking.

LED illumination.

Both illuminating your hob as well as making it an attractive feature, the down**Draft** hood features LED lights that can be turned on and off with the use of the extraction settings, or with the use of the soft**Light** can be used to create ambiance in the kitchen.

Electronic touch controls.

Beautifully designed the hood features control options that coordinate with Siemens iQ700 hobs and compact appliances; five control options with electronic touch controls. When you are busy cooking, you shouldn't have to stop to think about how your cooker hood works.

Helping to keep your kitchen clutter free when you're not cooking.

Sleek designs for *streamlined living.*

Ceiling hoods, the perfect space-saving solution.

This powerful but unobtrusive ceiling hood has the ability to free up valuable space in your kitchen and creates a beautiful integrated look. Additionally this stylish hood benefits from rim ventilation, remote control operation and electronic power level display. Suitable for ducted installation.



iQ700

LF959RA50B

At a glance

- Remote control or soft touch button control operating options
- 3 power levels
- 1 intensive setting - power boost for extra strong smells
- 8 x 20W halogen lights
- Automatic after running - ensure no smells linger
- 4 filter cassettes
- Rim ventilation
- Max extraction rate: 510 m³/h
- Max noise level: 52 dBA re 20 μPa (power level 3 ducted circulation)

Go to pages 77-87 to view the whole range.

900 mm Width

The freshness of outdoors in your kitchen... all day long.

Smells and steam may still linger after you've finished cooking, which is where the automatic after running can assist. It continues running for 10 minutes after the hood is switched off, allowing you to dine in fresh-smelling surroundings.

Convenient remote control.

Our ceiling hoods are operated via remote control, so it doesn't matter if it is out of reach. There are also push button controls should you install it within arm's reach, for example within a box above a cooking island.

The low-fat option for your kitchen.

Our patented rim ventilation extracts air around the edges of an attractive dishwasher-safe steel cover that conceals the grease-collecting filters. Changing the filters is easy thanks to the convenient and secure cover mechanism.

Removing unwanted smells from the spaces you want to enjoy.

Maximum extraction, *minimum energy.*

iQ700 chimney hood, state-of-the-art efficiency.

Exceptional design allied with seriously innovative technology and energy efficiency, our chimney hoods are perfect for large, modern kitchens. Whether you choose the aesthetics of glass, pyramid or boxed, all are designed to match our ovens and hobs. The model highlighted below is so much more than just a standard cooker hood. Achieving a maximum extraction rate of 850m³/h, and with electronic controls, this hood is perfect for anyone looking for a state-of-the-art high performance, energy saving chimney hood.



iQ700

LC98BA560B

At a glance

- light**Control** soft touch keys
- LED lights
- soft**Light** with dimmer function - creates ambiance
- 3 power settings
- 1 x Intensive setting - power boost for stronger smells
- Auto intensive revert - keeps energy consumption low
- Grease and charcoal filter saturation indicators - time to change the filter
- 3 filter cassettes
- Durable brushless motor - energy saver
- Max extraction rate: 520m³/h
- Max noise level: 42 dBA re 20 μPa (power level 3 ducted circulation)

Go to pages 77-87 to view the whole range.

900 mm Width

State-of-the-art efficiency.

The LC98BA560B hood saves up to 82%* energy compared with a similar model** from five years ago. This is thanks to the highly efficient, durable brushless motor which is powerful, but requires very little energy to run. The bright LED lights also contribute to the energy savings whilst perfectly illuminating your cooking area.

light**Control.**

Allows your hood to fit in seamlessly with other Siemens appliances, adding to the individual style of your kitchen. There's also the added convenience of being able to see at a glance the current setting of your hood, without having to cycle through a list of options.

Reduce your energy bills.

Auto intensive revert takes care of your energy consumption by automatically turning off the intensive setting if left idle. Lower energy consumption is not only good for reducing your carbon footprint, but will reduce your energy bills too.

*soft**Light** helps to create ambiance in your living space.*

---

*Power setting 2; **Same extraction rate, halogen lights.

High-design *easy access.*

iQ700 angled chimney hood, striking and practical.

The eye-catching sleek design of our angled chimney hood range, allows them to be less intrusive when it comes to taking up space in a smaller kitchen. The high-design also makes for easier access to all areas of your hob, even the rear zones. The iQ700 hood below benefits from soft**Light** with dimmer function, which creates beautiful atmospheric lighting for your kitchen. And, featuring a black glass canopy with electronic power display and steel filter covers for a truly striking hood.



iQ 700
LC98KA570B

At a glance

- touch**Control** - for ease of use
- LED lights
- soft**Light** with dimmer function - creates ambiance
- 3 power settings
- 1 x Intensive setting - power boost for stronger smells
- Automatic after running - ensure no smells linger
- Grease and charcoal filter saturation indicators - time to change the filter
- 1 x filter cassette
- Glass filter cover
- Rim ventilation
- Max extraction rate: 740 m³/h
- Max noise level: 44 dBA re 20 µPa (power level 3 ducted circulation)

Go to pages 77-87 to view the whole range.

900 mm
Width

Illuminate your culinary creations in style.

Adds to the ambiance of your room, providing a soft and cool light in an area that can be difficult to illuminate. The dimmer switch allows the light to always compliment the atmosphere, creating the perfect evening accompaniment.

Stand out from the crowd.

The eye-catching design of black glass is striking and will ensure that this hood will stand out and make a feature in any kitchen as well compliment and coordinate with other Siemens appliances.

Extra power to keep your kitchen smelling fresh.

Intensive setting creates a powerful boost of extraction, perfect for tackling demanding food such as stir fry or steamed vegetables. This ensures moisture is properly eradicated, without misting windows and keeping the kitchen air fresher.

The final piece of your fitted kitchen.

Welcome to a range ***designed*** around you.

Your kitchen is not only a place to cook, it is a place to entertain, relax after a hard day's work, or spend time with friends and family. Siemens cooker hoods work hard to keep your kitchen space fresh, and full of cleaner air whilst also providing ambient lighting. Whether you choose the state-of-the-art down**Draft** hood, a classic chimney hood or something built-into your kitchen cupboards, all Siemens hoods come with a quiet motor so you can enjoy your living space.

iQ 700

Exceptional design allied with seriously innovative technology is the basis of these, our premium models.

iQ 500

Exuding class and refinement, these machines unite first-class features with top-class technology.

iQ 300

Good looking appliances with Siemens build quality equipped with an attractive selection of smart features.

down**Draft** hood

Designer extraction.

880 mm Width

iQ700

LD97AA670B stainless steel

- touch**Control** - experience intuitive control
- Electronic control and power level display
- 3 power levels
- 2 intensive settings - power boost for extra strong smells
- soft**Light** with dimmer function - creates ambiance
- 1 x LED light strip
- Max extraction rate: 510 m³/h
- Max noise level: 49 dBA re 20 μPa (power level 3 ducted circulation)

Ceiling hoods

These powerful but unobtrusive, space saving hoods offer the added advantage of being stylish and functional.

900 mm Width

iQ700

LF959RA50B stainless steel

- Remote control or soft touch button control operating options
- 3 power levels
- 1 intensive setting - power boost for extra strong smells
- 8 x 20W halogen lights
- Automatic after running - ensure no smells linger
- Max extraction rate: 510 m³/h
- Max noise level: 52 dBA re 20 μPa (power level 3 ducted circulation)



900 mm Width

iQ700

LF959RB50B stainless steel

- Remote control or soft touch button control operating options
- 3 power levels
- Intensive setting - power boost for extra strong smells
- 4 x 20W halogen lights
- Automatic after running - ensure no smells linger
- Max. extraction rate: 560 m³/h
- Max noise level: 52 dBA re 20 μPa (power level 3 ducted circulation)

Island hoods

Choose an island hood with the wow-factor to make a feature of your cooking space.

900 mm Width

iQ700

LF959BL90B stainless steel

- light**Control** soft touch keys with illuminated retractable control dial
- Electronic control and power level display
- LED lights
- soft**Light** with dimmer function - creates ambiance
- 3 power levels
- 1 x Intensive setting - power boost for stronger smells
- Automatic after running - ensure no smells linger
- Grease and charcoal filter saturation indicators - time to change the filter
- Max extraction rate: 680 m³/h
- Max noise level: 49 dBA re 20 μPa (power level 3 ducted circulation)

900 mm Width

iQ500

LF98BC540B stainless steel

- Electronic control and power level display
- 3 power levels
- Intensive setting - power boost for stronger smells
- 4 x 20W Halogen lights
- Grease and charcoal filter saturation indicators - time to change the filter
- Max extraction rate: 550 m³/h
- Max noise level: 45 dBA re 20 μPa (power level 3 ducted circulation)

900 mm Width

iQ500

LF98GA540B stainless steel

- Electronic control and power level display
- 3 power levels
- Intensive setting - power boost for stronger smells
- 4 x 20W halogen lights
- Automatic after running - ensures no smells linger
- Max extraction rate: 620 m³/h
- Max noise level: 48 dBA re 20 μPa (power level 3 ducted circulation)

Box chimney hoods

With sleek integrated lighting and soft**Light** dimmer functions, Siemens boxed chimney hoods create ambiance in your living space whilst being functional.

900 mm Width

iQ700

LC958BB90B stainless steel

- light**Control** soft touch keys with illuminated retractable control dial
- Electronic control and power level display
- 3 power levels
- Intensive setting - power boost for stronger smells
- Automatic after running - ensure no smells linger
- Grease and charcoal filter saturation indicators - time to change the filter
- 3 x 20W halogen lights
- soft**Light** with dimmer function - creates ambiance
- Max extraction rate: 620m³/h
- Max noise level: 45 dBA re 20 μPa (power level 3 ducted circulation)

900 mm Width

iQ700

LC98BA560B stainless steel

- light**Control** soft touch keys
- Electronic control and power level display
- 3 power levels
- Intensive setting - power boost for stronger smells
- LED lights
- soft**Light** with dimmer function - creates ambiance
- Auto intensive revert - keeps energy consumption low
- Grease and charcoal filter saturation indicators - time to change the filter
- Durable brushless motor - energy saver
- Max extraction rate: 530m³/h
- Max noise level: 42 dBA re 20 μPa (power level 3 ducted circulation)

LC98BD540B LC68BD540B

900 mm Width 600 mm Width

iQ500

LC98BD540B stainless steel
LC68BD540B stainless steel

- Soft touch button control
- Electronic control and power level display
- 3 power levels
- Intensive setting - power boost for stronger smells
- Halogen lights
- Max extraction rate: 550m³/h (LC98BD540B)
- Max extraction rate: 520m³/h (LC68BD540B)
- Max noise level: 45 dBA re 20 μPa (power level 3 ducted circulation) - LC98BD540B
- Max noise level: 48 dBA re 20 μPa (power level 3 ducted circulation) - LC68BD540B

LC96BB530B LC76BB530B LC66BB530B

900 mm Width 700 mm Width 600 mm Width

iQ300

LC96BB530B stainless steel
LC76BB530B stainless steel
LC66BB530B stainless steel

- Push button control
- 3 power levels
- Intensive setting - power boost for stronger smells
- Halogen lights
- Metal grease filter dishwasher safe
- Max extraction rate: 450m³/h (LC96BB530B)
- Max extraction rate: 430m³/h (LC76BB530B/LC66BB530B)
- Max noise level: 40 dBA re 20 μPa (power level 3 ducted circulation) - LC96BB530B
- Max noise level: 43 dBA re 20 μPa (power level 3 ducted circulation) - LC76BB530B/LC66BB530B

LC94BA521B LC64BA521B

900 mm Width 600 mm Width

LC94BA521B stainless steel
LC64BA521B stainless steel

- Rocker switch control
- 3 power levels
- Halogen lights
- Metal grease filter dishwasher safe
- Max extraction rate: 450m³/h
- Max noise level: 48 dBA re 20 μPa (power level 3 ducted circulation) - LC94BA521B/LC64BA521B

Angled hoods

With the sleek angled design these hoods, are not as intrusive when it comes to taking up space in a smaller kitchen.

900 mm Width

iQ700

LC98KA570B stainless steel and black glass

- touch**Control** - experience intuitive control
- Electronic control and power level display
- LED lights
- soft**Light** with dimmer function - creates ambiance
- 3 power levels
- Intensive setting - power boost for stronger smells
- Automatic after running - ensures no smells linger
- Grease and charcoal filter saturation indicators - time to change the filter
- Glass filter cover
- Max extraction rate: 740 m³/h
- Max noise level: 44 dBA re 20 µPa (power level 3 ducted circulation)

900 mm Width

iQ500

LC98KC640B stainless steel and black glass

- Soft touch button control
- Electronic control and power level display
- 3 power levels
- Intensive setting - power boost for stronger smells
- 2 x 20W halogen lights
- Max extraction rate: 510 m³/h
- Max noise level: 48 dBA re 20 µPa (power level 3 ducted circulation)

LC98KB540B LC68KB540B

900 mm Width 600 mm Width

iQ500

LC98KB540B stainless steel LC68KB540B stainless steel

- Soft touch button control
- Electronic control and power level display
- 3 power levels
- Intensive setting - power boost for stronger smells
- Halogen lights
- Stainless steel filter covers - dishwasher safe
- Max extraction rate: 520 m³/h (LC98KB540B)
- Max extraction rate: 510 m³/h (LC68KB540B)
- Max noise level: 43 dBA re 20 µPa (power level 3 ducted circulation) - LC98KB540B
- Max noise level: 48 dBA re 20 µPa (power level 3 ducted circulation) - LC68KB540B

Slim pyramid hoods

A classic hood design integrated with innovative Siemens technology, our slim pyramid hoods give your kitchen space the look you want without intruding on space.

LC96WA530B LC76WA530B LC66WA530B

900 mm Width 700 mm Width 600 mm Width

iQ300

LC96WA530B stainless steel LC76WA530B stainless steel LC66WA530B stainless steel

- Push button control
- 3 power levels
- Intensive setting - power boost for stronger smells
- Halogen lights
- Metal grease filter dishwasher safe
- Max extraction rate: 450 m³/h (LC96WA530B)
- Max extraction rate: 430 m³/h (LC76WA530B/LC66WA530B)
- Max noise level: 40 dBA re 20 µPa (power level 3 ducted circulation) LC96WA530B
- Max noise level: 43 dBA re 20 µPa (power level 3 ducted circulation) LC76WA530B/LC66WA530B

LC94WA521B LC74WA521B LC64WA521B

900 mm Width 700 mm Width 600 mm Width

LC94WA521B stainless steel LC74WA521B stainless steel LC64WA521B stainless steel

- Rocker switch control
- 3 power levels
- Halogen lights
- Metal grease filter dishwasher safe
- Max extraction rate: 400 m³/h
- Max noise level: 51 dBA re 20 µPa (power level 3 ducted circulation) - LC94WA521B/LC74WA521B/LC64WA521B

Glass chimney hoods

With Siemens innovative technology for ease of use and functionality, glass chimney hoods are ideal for small or larger cooking spaces, whilst adding style.

900 mm Width

iQ500

LC98GB540B stainless steel

- Soft touch button control
- Electronic control and power level display
- 3 power levels
- Intensive setting - power boost for stronger smells
- Filter saturation indicator
- Halogen lights
- Grey glass canopy
- Metal grease filter – dishwasher safe
- Max extraction rate: 510 m³/h
- Max noise level: 48 dBA re 20 µPa (power level 3 ducted circulation)

LC98GE540B LC68GE540B

900 mm Width 600 mm Width

iQ500

LC98GE540B stainless steel LC68GE540B stainless steel

- Soft touch button control
- Electronic control and power level display
- 3 power levels
- Intensive setting - power boost for stronger smells
- Halogen lights
- Metal grease filter - dishwasher safe
- Max extraction rate: 510 m³/h
- Max noise level: 48 dBA re 20 µPa (power level 3 ducted circulation) - LC98GE540B/LC68GE540B

LC94GA520B LC64GA520B

900 mm Width 600 mm Width

iQ500

LC94GA520B stainless steel LC64GA520B stainless steel

- Rocker switch control
- 3 power levels
- Halogen lights
- Max extraction rate: 430 m³/h
- Max noise level: 48 dBA re 20 µPa (power level 3 ducted circulation) - LC94GA520B/LC64GA520B

Telescopic hoods

Our telescopic hoods are extremely functional and the perfect solution if you would rather keep the sleek, clean and continual lines in your kitchen.

594 mm Width

LI49632GB metallic silver

- For installation in a 600mm wide kitchen cabinet
- Soft touch button control
- vario**Control** panel – can be fitted separately
- 3 power levels
- Intensive setting - power boost for stronger smells
- Halogen lights
- soft**Light** with dimmer function - creates ambiance
- Automatic after running - ensures no smells linger
- Grease and charcoal filter saturation indicators - time to change the filter
- Max extraction rate: 450 m³/h
- Max noise level: 43 dBA re 20 µPa (power level 3 ducted circulation)

LI46931GB LI46631GB

900 mm Width 600 mm Width

LI46931GB metallic silver LI46631GB metallic silver

- Slider switch control
- Steel finish profile/handle
- 3 power levels
- Intensive setting - power boost for stronger smells
- Halogen lights
- Grease and charcoal filter saturation indicators - time to change the filter
- Metal grease filter – dishwasher safe
- Max extraction rate: 450 m³/h
- Max noise level: 47 dBA re 20 µPa (power level 3 ducted circulation) - LI46931GB/LI46631GB



598 mm Width

LI23031GB metallic silver

- Steel finish profile/handle
- Rocker switch control
- 3 power levels
- 40W lights
- Metal grease filter – dishwasher safe
- Max extraction rate: 400 m³/h
- Max noise level: 52 dBA re 20 µPa (power level 3 ducted circulation)

Canopy hoods

Siemens built-in canopy hoods, designed for installation in a modified cupboard, above a hob.

Integrated hoods

For installation between cupboard walls.



LB75564GB LB54564GB

730 mm Width | 530 mm Width

iQ700

LB75564GB metallic silver
LB54564GB metallic silver

- Slider switch control
- 3 power levels
- Intensive setting - power boost for stronger smells
- Halogen lights
- Metal grease filter with aluminium trim
- Max extraction rate: 400 m³/h
- Max noise level: 47 dBA re 20 μPa (power level 3 ducted circulation) - LB75564GB
- Max noise level: 50 dBA re 20 μPa (power level 3 ducted circulation) - LB74564GB

530 mm Width

iQ500

LB23364GB metallic silver

- Rocker switch control
- 2 power levels
- Intensive setting - power boost for stronger smells
- 40W lights
- Max extraction rate: 210 m³/h

LC98KB540B LC68KB540B

900 mm Width | 600 mm Width

iQ500

LE64130GB metallic silver
LE62031GB metallic silver

- Rocker switch control
- 3 power levels
- 40W lights
- Dishwasher safe metal grease filters
- Max extraction rate: 360 m³/h (LE64130GB)
- Max extraction rate: 260 m³/h (LE62031GB)
- Max noise level: 50 dBA re 20 μPa (power level 3 ducted circulation) - LE64130GB
- Max noise level: 54 dBA re 20 μPa (power level 3 ducted circulation) - LB62031GB

Built-under hood

For installation underneath a cupboard or on the wall, this classic hood is going to keep your cooking space freshly ventilated.

598 mm Width

iQ700

LU19050GB stainless steel

- Push button control
- 3 power levels
- Halogen lights
- Dishwasher safe metal grease filter
- Max extraction rate: 280 m³/h
- Max noise level: 55 dBA re 20 μPa (power level 3 ducted circulation)

For accessories in the hood range please ask your retailer or visit siemens-home.co.uk/store.

Installation diagrams

LD97AA670B


793
94
406
120
646
min. 652
max. 1052
102
361
912
2.4
802
332
332
249
min. 40
max. 140
328
199
62
297
min. 600-700
min. 30
min. 50
402
194
76
90
dia. 150
381
min. 652
max. 756-766
815
30
113
50
min. 700**
600*
* 600 mm depth only in combination with slim hobs.
** min. 700 mm for hobs with 500 mm cut-out depth.

LF959RA50B


min. 280
max. 460
80
377
80
789
69
10
854
900
854
900
min. 290
~1500
min. 550 electric
min. 650 gas*
* from upper edge of pan support

Installation options

The ceiling hood is designed to be a fitted flush ceiling installation. If the ceiling is not suitable for flush fitting, the hood can be integrated into a specially designed suspended ceiling.

LF959RB50B


320
320
90
170
299
dia. 150
70
476
500
670
900
min. 290
~1500
min. 550 electric
min. 650 gas*
* from upper edge of pan support

Installation options

The ceiling hood is designed to be a fitted flush ceiling installation. If the ceiling is not suitable for flush fitting, the hood can be integrated into a specially designed suspended ceiling.

LF959BL90B


359
264
min. 245
min. 35
Re-circulated air
min. 800
max. 1,100
580
455
100
900
min. 550 electric
recommendation 650
min. 650 gas*
600
*From upper edge of pan support
359
264
min. 245
min. 155
Ducted air
min. 800
max. 980
580
455
100
900
min. 550 electric
recommendation 650
min. 650 gas*
600
*From upper edge of pan support
249
225
191
277
37
170
203
249
311
386
height-adjustable in 20mm increments (700-1,000)

LF98BC540B


352
257
min. 245
min. 35
Circulated air
744-1044
580
359
453
46
264
600
900
min. 550 electric
recommendation 650
min. 650 gas*
* from upper edge of pan support
337
251
191
37
170
277
203
249
dia. 120
dia. 150
Height adjustable in 20 mm increments (744-1044)
385
430
352
257
min. 245
min. 155
Exhaust air
744-924
580
359
453
46
264
600
900
min. 550 electric
recommendation 650
min. 650 gas*
* from upper edge of pan support

LF98GA540B


352
257
min. 245
min. 155
Exhaust air
744-924
580
359
453
46
264
600
900
min. 550 electric
recommendation 650
min. 650 gas*
* from upper edge of pan support
337
251
191
37
170
277
203
249
dia. 120
dia. 150
Height adjustable in 20 mm increments (744-1044)
385
430
352
257
min. 245
min. 35
Circulated air
744-1044
580
359
453
46
264
600
900
min. 550 electric
recommendation 650
min. 650 gas*
* from upper edge of pan support

LC958BB90B


min. 126
Exhaust air
675-1,004
580
min. 120
455
350
250
100
500
900
245
340
min. 60
Socket
Exhaust-air outlet
min. 550
330
min. 500
min. 550 electric
recommendation 650
min. 650 gas*
* From upper edge of pan support
min. 126
Circulated air
675-1,119
580
min. 10
455
350
250
100
500
900
45
300
209
470
114
min. 550 electric
recommendation 650
min. 650 gas*
* From upper edge of pan support
dia. 120
dia. 150
485
441

Measurements in mm. Line drawings are for reference only. Please download the latest installation guidelines from siemens-home.co.uk.
Siemens can not accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

Installation diagrams

LC98BA560B


(3)
min. 126
628-954 (1)
628-1064 (2)
580
342
247
448
min. 120 (1)
min. 10 (2)
345
250
46
500
900

(1) Exhaust air
(2) Circulated air
(3) Air outlet - install with
vent at bottom for exhaust air


45
300
209
394.5
51.5
min. 550 electric
recommendation 650
min. 650 gas*

*from upper edge
of pan support


dia. 120
dia. 150
438
379
424
max. 20


245
335
min. 60
Exhaust air
outlet
Socket
300
min. 500
min. 450
min. 550 electric
recommendation 650
min. 650 gas*

*from upper edge
of pan support

LC98BD540B
LC68BD540B


(3)
min. 126
628-954 (1)
628-1064 (2)
580
342/
257
247
448
min. 120 (1)
min. 10 (2)
345/
260
250
46
500
900 / 600

(1) Exhaust air
(2) Circulated air
(3) Air outlet - install with
vent at bottom for exhaust air


45
300 / 210
209 / 124
394.5
51.5
min. 550 electric
recommendation 650
min. 650 gas*

* from upper edge
of pan support


dia. 120
dia. 150
438
379
424
max. 20


245
335 / 250
min. 60
Exhaust air
outlet
Socket
300/
240
min. 500
min. 450
min. 550 electric
recommendation 650
min. 650 gas*

* from upper edge
of pan support

LC96BB530B
LC76BB530B
LC66BB530B


(3)
min. 126
642-954 (1)
642-1064 (2)
580
342/
257/
257
247
434
min. 120 (1)
min. 10 (2)
345/
260/
260
250
60
500
900 / 700 / 600

(1) Exhaust air
(2) Circulated air
(3) Air outlet - install with
vent at bottom for exhaust air


45
300 / 210
209 / 124
394.5
51.5
min. 550 electric
recommendation 650
min. 650 gas*

* from upper edge
of pan support


dia. 120
dia. 150
438
379
424
max. 20


245
335 / 250 / 250
min. 60
Exhaust air
outlet
Socket
300/
240/
240
min. 500
min. 450
min. 550 electric
recommendation 650
min. 650 gas*

*from upper edge
of pan support

LC94BA521B
LC64BA521B


(3)
min. 126
642-954 (1)
642-1064 (2)
580
456
247
257
min. 120 (1)
min. 10 (2)
250
260
60
500
900/600

(1) Exhaust air
(2) Circulated air
(3) Air outlet - slots for exhaust air
to be mounted facing down


210
45
200
316
32
Min. 550
electric
Recommendation 650
Min. 650 gas*

* From upper edge
of pan support


dia. 150
324
max. 20


Exhaust-air outlet
245
min. 60
250
Socket
240
min. 350
min. 400
Min. 550
electric
Recommendation 650
Min. 650 gas*

* From upper
edge of pan
support

LC98KA570B


580
250
345
460
1040-1450
433
900






300
45
209
792
min. 300 electric
min. 500 gas from
upper edge of
pan support

LC98KC640B


580
(3)
257
247
min. 120 (1)
min. 10 (2)
min.
126
260
460
250
865-1153 (1)
865-1263 (2)
233
600
900

(1) Exhaust air
(2) Circulated air
(3) Air outlet - Fit the exhaust
air slot facing downwards


dia. 120
dia. 150
636
622
577
900
max. 20

If a back panel
is used, the design
of the appliance
must be considered.


693
465
44
50
441

Measurements in mm. Line drawings are for reference only. Please download the latest installation guidelines from siemens-home.co.uk.
Siemens can not accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

Installation diagrams

LC98KC640B continued


257
260
900
600
531


245
250
min. 60
Socket
Exhaust
air outlet
240
min. 700
min. 650
min. 400 electric
min. 500 gas*

* from upper edge
of pan support


45
210
124
593
250
min. 400 electric
min. 500 gas*

* from upper edge
of pan support

LC98KB540B
LC68KB540B


(3)
580
min.
126
342/
257
247
min. 120 (1)
min. 10 (2)
345/
260
460
250
865-1153 (1)
865-1263 (2)
233
900 / 600

(1) Exhaust air
(2) Circulated air
(3) Air outlet - Fit the exhaust
air slot facing downwards


342/
257
345/
260
900/
600
797/
531


693
387
44
55
417


dia. 120
dia. 150
636
622
577
900 / 600
max. 20

If a back panel is used,
the design of the appliance
must be considered.


245
335 / 250
min. 60
Socket
Exhaust
air outlet
300/
240
min. 700
min. 650
min. 400 electric
min. 500 gas*

*from upper edge
of pan support


45
300 (900mm)
210 (600mm)
209 (900mm)
124 (600mm)
593
250
min. 400 electric
min. 500 gas*

*from upper edge
of pan support

LC96WA530B
LC76WA530B
LC66WA530B


(3)
min. 126
672-954 (1)
672-1064 (2)
580
342/
257/
257
247
404
min. 120 (1)
min. 10 (2)
345/
260/
260
250
90
30
500
900 / 700 / 600

(1) Exhaust air
(2) Circulated
(3) Air outlet - For exhaust air, fit
with the slots facing downwards


45
300 (900mm)
210 (700/600mm)
209 (900mm)
124 (700/600mm)
394.5
51.5
min. 550 electric
recommendation 650
min. 650 gas*

* from upper edge
of pan support


dia. 120
dia. 150
438
379
424
max. 20


245
335 / 250 / 250
min. 60
Exhaust air
outlet
Socket
300/
240/
240
min. 500
min. 450
min. 550 electric
recommendation 650
min. 650 gas*

* from upper edge
of pan support

LC94WA521B
LC74WA521B
LC64WA521B


min. 31
248
213
799-976
169
522
170
250
246
32
500
900/700/600


Exhaust-air outlet
169
min. 55
248
Socket
799-976
248
min. 500
Min. 550
electric
Recommendation 650
Min. 650 gas*

* From upper
edge of pan
support


dia. 150
275
max. 20


228
27
228
270
467
190
25
Min. 550
electric
Recommendation 650
Min. 650 gas*

* From upper edge
of pan support

LC98GB540B


(3)
min. 126
634-954 (1)
634-1064 (2)
580
257
247
442
min. 120 (1)
min. 10 (2)
46
250
260
500
350
52
540
900

(1) Exhaust air
(2) Circulated air
(3) Air outlet - slot for
exhaust air to be mounted facing down


45
210
124
394.5
51.5
min. 550 electric
recommendation 650
min. 650 gas*

*From upper edge
of pan support


245
250
min. 60
Exhaust
air outlet
Socket
240
min. 500
min. 450
min. 550 electric
recommendation 650
min. 650 gas*

* from upper edge
of pan support


dia. 120
dia. 150
379
424
46
350
max. 20

If a back panel is used,
the design of the appliance
must be considered.

Measurements in mm. Line drawings are for reference only. Please download the latest installation guidelines from siemens-home.co.uk.
Siemens can not accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

Installation diagrams

LC98GE540B
LC68GE540B



(3)
min. 144
257
580
247
638-954 (1)
638-1064 (2)
442
min. 120 (1)
min. 10 (2)
260
250
57
500
350
540
900 / 600

(1) Exhaust air
(2) Circulated air
(3) Air outlet - Fit the exhaust air slot facing downwards



45
210
124
52
395

min. 550 electric
recommendation 650
min. 650 gas*

* from upper edge of pan support



ø 120
ø 150
424
379
350
max. 20

If using a back panel, the design of the appliance must be taken into account.



245
250
min. 60
Exhaust air outlet
Socket
240
min. 450
min. 500

min. 550 electric
recommendation 650
min. 650 gas*

* from upper edge of pan support



43
51
R 2000
6

LC94GA520B
LC64GA520B



(3)
min. 144
257
580
247
638-954 (1)
638-1064 (2)
442
min. 120 (1)
min. 10 (2)
260
250
57
500
350
540
900 / 600

(1) Exhaust air
(2) Circulated air
(3) Air outlet - Fit the exhaust air slot facing downwards



45
210
124
52
395

min. 550 electric
recommendation 650
min. 650 gas*

* from upper edge of pan support



ø 120
ø 150
424
379
350
max. 20

If using a back panel, the design of the appliance must be taken into account.



245
250
min. 60
Exhaust air outlet
Socket
240
min. 450
min. 500

min. 550 electric
recommendation 650
min. 650 gas*

* from upper edge of pan support



43
51
R 2000
6

LI49632GB



165
556
291
85
ø 120/150
35
(min. 30)
265
20
80
85
310
30
40
20
370
100
14
448
597
374,5
x
597
18,8





min. 293
313
287
195
dia. 133/170
min. 435
600

LI46931GB



185
556
Ø150/120
265
291
85
30
85
360
20
320
80
40
20
100
13
894
293
448





674,5
374,5
894
18,8



min. 293
287
Ø133/170
313
195
min. 435
600

LI46631GB



185
556
ø150/120
265
291
85
40
30
85
360
80
20
320
35 30)
20
100
13
594
293
448





374,5
x
18,8
594



min. 293
287
Ø133/170
313
195
min. 435
600

LI23031GB



185
512
243
dia. 120
269
90
115
80
40 (min. 32)
250
32
280
598
280-443







X = min. 280
287
dia. 133
313
195
180
12
600
12

LB75564GB
LB54564GB



700 / 500-3
16
350-3
min. 15



dia. 120
348 / 248
348 / 248
dia. 150
55
95
160
60
465
696 / 496
730 / 530



225
100
35
9
315
346
380

Measurements in mm. Line drawings are for reference only. Please download the latest installation guidelines from siemens-home.co.uk.
Siemens can not accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

Installation diagrams

LB23364GB



16
500-3
min. 10
260-3
min. 15



248
248
dia. 120
47
160
60
465
496
530



75
12
225
256
280

LE64130GB
LE62031GB



280-360
180
105
dia.120/150



360
280
min. 380
max. 700
380
395
599



LU19050GB



dia.120
483,5
120
13
598
500





Measurements in mm. Line drawings are for reference only. Please download the latest installation guidelines from siemens-home.co.uk.
Siemens can not accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

Cooling

Super efficient,
super stylish.

Models shown; a**Cool** wine cabinet CI24WP02, a**Cool** freezer with indoor ice and water dispenser FI24DP32, a**Cool** fridge CI30RP01

The *Perfect environment* for fresh food.

Food preservation technologies that mean you can store a lettuce for up to 20 days and it will still taste as fresh as the day you bought it.

Model shown: fridge freezer KI87SAF30G

1 vita**Fresh** drawer

2 hydro**Fresh** drawer

3 fresh**Protect** box

There's nothing worse than stocking your fridge full of fresh food, only to find that a few days later it is no longer edible. Saving you time and money Siemens fridge freezers feature new technology that is going to prolong the life of your fresh produce, meaning there will be fewer trips to the supermarket so you can enjoy your favourite foods for longer.

These benefits include; keeping your food at the correct temperature, locking in the nutrients with our innovative hydro**Fresh** drawer, and the air**Fresh** filter that helps to separate the smells in your fridge meaning no cross contamination between sweet and savoury foods. A Siemens fridge freezer is the smartest way to preserve your food.

1 Fresh food up to three times longer.

Keeping foods fresher for up to 3 times as long compared to a conventional vegetable drawer. The "dry" zone and "dewpoint" zone within vita**Fresh** drawers determine how much humidity food receives. Storing meat and dairy at their optimum humidity creates less food wastage and cuts down on your food bills.

2 Preserves food up to twice as long.

Fresh food can last twice as long as it would in a standard vegetable drawer in the Siemens hydro**Fresh** drawer. With an innovative humidity control, the drawer keeps minerals and nutrients in vegetables, salad and fruit for longer, increasing their use by date – saving you time and money.

3 Technology never tasted so good.

A box in the fridge with an individual temperature control; fresh**Protectbox** can be set to 0°C for meat and fish, 2°C for milk products and 4°C for fruit and vegetables, providing the optimum temperature for individual foods, allowing them to stay fresher for longer. Fresh ingredients are the basis for delicious meals, but also count for less wastage and fewer trips to the supermarket.

Ideal storage for meat and fish.

Ideal for storing meat and fish, the cool**Box** creates an environment that is almost 3°C cooler than the rest of the fridge. The cool**Box** stores meat and fish at the optimum preservation temperature, whilst allowing other food in the fridge to be chilled at around 4°C. Food tastes better for longer and there is less food wastage.

Keeps food smells separate.

Shelves separate food, the air**Fresh** filter separates smells, ensuring that the fridge smells fresh at all times. The filter neutralises odours in the fridge, ensuring that smells don't transfer between foods, while the anti-microbial filter stops the transfer of germs and bacteria. Sweet and savoury can sit side-by-side and you can enjoy a fresh smelling fridge every time you open the door.

Optimum temperature guaranteed.

Monitoring the temperature of the room, sensors in the fridge detect how much power is needed to maintain optimum fridge and freezer temperatures. Less fluctuation in temperature ensures food is stored safely and also helps to make sure only the energy needed is used. Food preservation and energy-efficiency go hand-in-hand with vita**Control**.

Freshness
at its best.

Longer lasting food is good for the environment

Research shows that UK households are throwing away £12 billion worth of food every year. That means the average household with children throws away about £50 worth of food and drink a month.* Thanks to the advanced technology in Siemens refrigeration appliances, food stays fresher for longer. For example the hydro**Fresh** vegetable drawer, which is available on many of our built-in fridge freezers, maintains the correct humidity of the contents. This means fruit and vegetables can be kept for up to twice as long, giving you longer to use them. Ensuring you get more out of the food you buy and waste less.

vita**Fresh** – Food freshness table


Yoghurt, with vitaFresh 30 days of freshness
Sushi, with vitaFresh 2 days of freshness
Stoned fruit, with vitaFresh 30 days of freshness
Raspberries, with vitaFresh 5 days of freshness
Cherries, with vitaFresh 14 days of freshness
Carrots, with vitaFresh 150 days of freshness
Roquefort, with vitaFresh 14 days of freshness
Lettuce, with vitaFresh 20 days of freshness
Gouda, with vitaFresh 21 days of freshness
Pears, with vitaFresh 90 days of freshness
Gruyère, with vitaFresh 14 days of freshness
Asparagus, with vitaFresh 14 days of freshness
Poultry, with vitaFresh 5 days of freshness
Salmon, with vitaFresh 3 days of freshness
Strawberries, with vitaFresh 7 days of freshness
Mushrooms, with vitaFresh 7 days of freshness

The vita**Fresh** food preservation system, makes your fresh produce last three times as long.

hydroFresh Box
coolBox

hydro**Fresh** and cool**Box** storage drawers.

Food storage times in coolBox

Food	Max. storage time (days)	Handling recommendation
Meat		
Beef	5	Keep in original packaging, cover tightly
Poultry	3 - 5	
Game	5	
Lamb	3 - 5	
Pork	3 - 5	
Minced meat	1	
Meat products		
Cold cuts	5 - 7	Keep in original packaging, cover tightly
Sausages	5 - 7	
Cooked leftovers	3 - 5	Store in plastic or glass container, cover tightly, refrigerate quickly

---

*Lovefoodhatewaste.com 2012

Models shown; a**Cool** wine cabinet CI24WP02, a**Cool** freezer with indoor ice and water dispenser FI24DP32, a**Cool** fridge CI30RP01

Designed for an *easy life.*

Although they may be behind closed doors Siemens elegant and functional range of built-in fridge freezers are going to become the talking point in any kitchen.

Whether its an American-style fridge freezer that has the wow-factor; an a**Cool** appliance that allows you to create your own bespoke designs; stand alone, or undercounter option that is going to save space, Siemens has a wide range to choose from. Energy efficient, our appliances are packed with flexible storage solutions and technologies that are going to suit your hectic lifestyle.

noFrost

You never need to defrost the freezer again

Who has time to defrost the freezer? Those with a Siemens no**Frost** freezer do, because there simply is no need to. Using an air circulation system to remove humidity and stop frost and ice building up on the freezer walls and packaging your freezer will look after itself. No longer will you have to run-down your freezer to defrost and remove the ice build-up. Hassle free, you can enjoy fresher food, no more soggy packaging and a frost free freezer for life.

> *With no**Frost** technology you'll never have the job of defrosting the freezer again.*

lowFrost

Because life's too short

For those models that come with low**Frost** life is still made easier. low**Frost** reduces the build-up of frost by up to 50%, meaning that you don't need to defrost the freezer as often, only once every 18 months to 2 years. Designed to save you time and provide added convenience, you can spend your time on the things you enjoy, not defrosting your freezer.

Model shown: a**Cool** fridge freezer CI36BP01

Minimum energy *consumption* 24/7, 365 days a year.

We are committed to developing energy saving technology that makes a difference.

eco+ More efficiency, more performance

A++ Energy

Packed with ingenious and energy efficient solutions, a Siemens appliance is perfectly designed for your convenience and practicality. Not only is it going to do what you expect, there is so much more that you don't see, including the environmental benefits. Perhaps the most important energy efficiency technology is that designed to keep your food fresher for longer. Storing foods at their optimum humidity and temperature creates less food wastage, meaning fewer trips to the supermarket, cutting down on your food bills.

Keeping food at the optimum temperature the multi**Airflow** System helps to circulate air around the fridge evenly, meaning that temperatures on all shelves are maintained. Ensuring freshness as well as saving energy the multi**Airflow** System cools down new warmer food entering the fridge 40% faster than a standard fridge as the motor doesn't need to work as hard to cool the fridge down.

When you're on holiday or a long business trip Holiday Mode will ensure that your food in the freezer stays cold enough to maintain freshness whilst reducing energy output - saving you money, and helping the environment. Our fridges also feature a warning alarm that signals you when the fridge door has been left open, ensuring that energy isn't needlessly wasted and preserving the food inside, both are saving you money and energy usage.

Models shown; cool**Concept** freezer GI38NP60, cool**Concept** fridge KI42FP60

Superb styling superb freshness.

Model shown: K187SAF30G

Although they may be behind closed doors our elegant and functional range of built-in fridge freezers are going to become the talking point of any kitchen.

Whether its an American-style fridge freezer that has the wow-factor; stand alone, or under counter option that is going to save space, Siemens has a wide range to choose from. Energy efficient, our appliances are packed with food preservation and flexible storage solutions that are going to suit consumers hectic lifestyles.

Sophisticated storage, stunning functions

With a digital display that keeps consumers informed of the precise temperature and helps navigate easily through the operating menus, a door sensor that sets off a warning alarm if the door is left open for any reason; aCool appliances from Siemens feature top of the range technologies.

Seamlessly integrated into the sidewall of the fridge for maximum illumination and no loss of fridge space, the LED lighting is both energy efficient and practical. While the conveniently placed in-door ice and water dispenser featured in certain aCool freezers delivers chilled water, crushed ice and ice cubes at the touch of a button.

> ***aCool** appliances allow you to create bespoke designs, suiting individual tastes and making kitchens unique to each consumer.*

In-door ice and water dispenser

Individual flare

For professional quality storage and care of wine, both white and red, choose the elegant and stylish aCool wine cabinet. Great for showing off large collections, there is room for 98 bottles, all beautifully presented and conveniently accessible on telescopic storage shelves, and with two independently adjustable temperature controls the system can accurately maintain temperatures from 5°C to 18°C.

Ice at the touch of a button

Telescopic rails for easy access

Models shown: FI24DP32, CI24RP01, CI24WP02

Individual *Flare.*

Show your individual side with a**Cool** appliances, bespoke designs to suit your individual taste and your individual kitchen.

With a digital display that keeps you informed of the precise temperature and helps you to navigate easily through the operating menus, a door sensor that sets off an warning alarm if the door is left open for any reason and an eco mode which can be selected to save energy; the a**Cool** appliances from Siemens features top of the range technologies.

iQ 700
CI24RP01

At a glance

- Dimensions (cm): 213x60x61
- Noise level: 40dB
- fresh**Protectbox** - individual control for longer freshness
- 2 humidity controlled drawers on telescopic rails
- super**Cool** - newly added food is cooled quickly and safely
- 4 glass shelves - 3 height adjustable for added flexibility
- LED light - illuminates interior so no food is hidden
- multi**Airflow** - improves circulation around the fridge
- soft**Close** door - provides smooth, effortless closure

Go to pages 105-115 to view the whole range.

A+ Energy | fresh Protectbox

iQ 700
FI24DP32

At a glance

- Dimensions (cm): 213x60x61
- Noise level: 41dB
- no**Frost** - never defrost the freezer again
- Indoor ice and water dispenser
- multi**Airflow** - improves circulation around the freezer
- soft**Close** door - provides smooth, effortless closure

Go to pages 105-115 to view the whole range.

A+ Energy | noFrost

Technology never tasted so good.

The fresh**Protectbox** provides the optimum temperature for individual foods, allowing them to stay fresher for longer. Fresh ingredients are the basis for delicious meals, but also count for less wastage and fewer trips to the supermarket - saving you time and money.

Precision control at the touch of a button.

With easy to use electronic controls Siemens fridge freezers never leave you in the dark. The electronic display allows you to precisely set and change the temperature of your fridge and freezer and select certain modes, such as Eco and Holiday Mode, at your finger tips.

Refreshing ice-cool water, whenever you want it.

Filtered cold water and ice at the touch of a button. The chilled water and ice dispenser is a convenient time saver, serving a refreshing drink whenever you want.

*Top of the range cooling with top features such as fresh-**Protectbox** and no**Frost**.*

Style *Statement.*

Impress your friends with the stunning a**Cool** fridge freezer, brimming with style and top-class features.

Packed with the latest innovations this stylish iQ700 fridge freezer is going to keep your fresh food for longer with a multi**Airflow** system that improves the circulation of air around the fridge and freezer and no**Frost** technology that is going to leave your freezer, frost free for life.



iQ 700
CI36BP01

At a glance

- Dimensions (cm): 213x91x61
- Noise level: 42dB
- no**Frost** - never defrost the freezer again
- 3 humidity controlled drawers on telescopic rails
- super**Cool** - newly added food is cooled quickly and safely
- 3 glass shelves - 2 height adjustable for added flexibility
- Freezer drawers - pantry style design on telescopic rails
- Internal ice maker
- LED light - illuminates interior so no food is hidden
- multi**Airflow** - improves circulation around the fridge
- soft**Close** door - provides smooth, effortless closure

Go to pages 105-115 to view the whole range.

A+ Energy | noFrost

Excellent food preservation systems as standard.

The multi**Airflow** system moderates the fridge temperature when new food is added, cooling down food 40% faster than a standard fridge. Well cared for ingredients help to make delicious meals… get ready to impress your friends.

Shelves separate food. The air Fresh** filter separates smells.**

The air**Fresh** filter neutralises odours in the fridge, ensuring that smells don't transfer between foods. Enjoy a fresh smelling fridge every time you open the door.

Ice and a slice?

Positioned inside the fridge freezer drawer, the ice cube maker can produce up to 1.8kg of ice cubes in 24 hours! Perfect for dinner parties and social occasions.

Serious refrigeration just got seriously cool.

Show off your *wine collection.*

Beautifully presented and conveniently accessible, the a**Cool** wine cabinet provides ideal storage conditions for all wines.

A perfect addition to other a**Cool** appliances, our full height a**Cool** wine cabinet stores up to 98 bottles whilst adding glamour and individuality to your kitchen. Though if your collection is not so vast, we also offer a wine**Cooler**, in the built-in cooling range, which can hold up to 32 bottles.



iQ 700

CI24WP02

At a glance

- Dimensions (cm): 213x60x61
- Noise level: 42dB
- LED light - illuminates interior so nothing is hidden
- active**Cooling** - quick and even temperature distribution
- Capacity: 98 bottles of 0.75 litres
- Exclusively for the storage of wine

Go to pages 105-115 to view the whole range.

B Energy

Professional quality storage and care of wine.

Great for showing off your collection, there is room for 98 bottles (of 0.75 litres), all beautifully presented and conveniently accessible on telescopic storage drawers, and with two independently adjustable temperature controls the system can accurately maintain temperatures from 5°C to 18°C.

Elegant and practical lighting.

To further highlight your collection of fine wines, the interior of the wine cabinet has elegant, energy efficient LED lights. Which not only provide ambiance in the kitchen but allow for maximum illumination, so you can be sure you choose the correct wine for dinner.

The acoustic door warning signal ensures you're in control.

The acoustic door open warning signal alerts you to if the door has been left ajar, or that there is no power getting to the fridge. Both energy and wine are safe from being needlessly wasted, saving you money and putting you in control.

Professional storage for your wine collection.

Super efficient, *super stylish.*

The cool**Concept** range from Siemens. Top marks for energy efficiency, capacity and convenience.

Some models in the range feature vita**Fresh**® drawers that control humidity and keep your food fresher for longer, easy**Lift** glass shelves that are adjustable to suit your ever changing storage needs and no**Frost** technology that means you'll never have to defrost the freezer again.



product design award 2010

reddot design award winner 2010

iQ 700

KI42FP60

At a glance

- Dimensions (cm): 177X56x55
- Noise level: 39dB
- vita**Fresh**® - food stays fresher for up to three times longer
- super**Cool** - newly added food is cooled quickly and safely
- 7 glass shelves - 3 height adjustable for added flexibility
- 1 easy**Lift** glass shelf - provides added flexibility
- LED light - illuminates interior so no food is hidden
- soft**Close** door - provides smooth, effortless closure

Go to pages 105-115 to view the whole range.

A++ Energy

eco+ More efficiency, more performance

vitaFresh



iQ 700

GI38NP60

At a glance

- Dimensions (cm): 177x54x55
- Noise level: 40dB
- no**Frost** - never defrost the freezer again
- 5 freezer drawers - includes big**Box** for extra large food items
- LED light - illuminates interior so no food is hidden
- soft**Close** door - provides a smooth, effortless closure

Go to pages 105-115 to view the whole range.

A++ Energy

eco+ More efficiency, more performance

noFrost

Top marks for energy efficiency.

Every model in the cool**Concept** range is rated A++ for energy efficiency in the EU energy-labelling scheme. Using up to 40% less energy than their A-rated equivalents our range of cool**Concept** appliances also feature no**Frost** technology for your ultimate convenience, saving you money and providing you with clever storage spaces.

Advanced technology making food taste as nature intended.

The "dry" zone and "dewpoint" zone within vita**Fresh** determine how much humidity food receives. Storing foods at their optimum humidity can help them last up to 3 times as long. This creates less food wastage, meaning fewer trips to the supermarket and lower food bills.

Storage space that adapts to your needs.

Expect nothing but convenience with easy**Lift** shelves. Even when full, you can raise or lower the shelf by 6cm to make room for taller items - ideal for serving jugs.

*Lower energy consumption is standard: A++ across the cool-**Concept** range.*

Style, capacity and *innovation in one.*

American big thinking meets German ingenuity.

Our cool**Duo**, American-style fridge freezers have all the innovations you would expect from Siemens. Including no**Frost**; fresh**Protectbox**, multi**Airflow** cooling and in-door ice and water dispensers, whilst also providing you with additional capacity and flexibility for all your shopping needs.



iQ 700
KA62DS50GB

At a glance

- Dimensions (cm): 176x91x73
- Noise level: 44dB
- Ice and water dispenser
- no**Frost** - never defrost the freezer again
- fresh**Protectbox** - individual control for longer freshness
- 1 easy**Lift** shelf - for added storage flexibility
- Twin cooling - independent temperature for the fridge and freezer
- multi**Airflow** system - improves circulation around the fridge
- day**Light** - bright interior light

Go to pages 105-115 to view the whole range.

A+ Energy | noFrost | 5 Years Guarantee

Everything to hand when you need it.

The fully extendable drawers on telescopic rails slide smoothly and surely, fully extending for complete accessibility for the wanted item at the back of the fridge.

Technology never tasted so good.

The fresh**Protectbox** provides the optimum temperature for individual foods, allowing them to stay fresher for longer. Fresh ingredients are the basis for delicious meals, but also count for less wastage and fewer trips to the supermarket - saving you time and money.

Refreshing ice-cool water, whenever you want it.

Filtered cold water and ice at the touch of a button. The chilled water and ice dispenser is a convenient time saver, serving a refreshing drink whenever you want.

Elegant, ingenious and convenient American-style, Siemens style.

Welcome to a range ***designed*** around you.

Elegant, functional and packed with technology your new Siemens fridge freezer is going to become a talking point in your kitchen. Whether you want an American style fridge freezer that has the wow-factor; stand alone, under counter or a side by side option that is going to save you space, Siemens has a wide range to choose from. Energy efficient our appliances are packed with food preservation and flexible storage solutions that are going to suit your hectic lifestyle. With a stylish design that fits into any modern home our high spec fridge freezers are no longer just a place to store your favourite foods.

iQ 700

Exceptional design allied with seriously innovative technology is the basis of these, our premium models.

iQ 500

Exuding class and refinement, these machines unite first-class features with top-class technology.

iQ 300

Good looking appliances with Siemens build quality equipped with an attractive selection of smart features.

a**Cool** built-in cooling appliances

Stunning inside and out, our top-of-the-range models.

A+ Energy · noFrost

iQ700

CI36BP01

- Dimensions (cm): h213 x w91 x d61
- Noise level: 42dB
- no**Frost** - never defrost the freezer again
- 3 humidity controlled drawers on telescopic rails
- 3 glass shelves - 2 height adjustable for added flexibility
- Freezer drawers - pantry style design on telescopic rails
- Internal ice maker
- LED light - illuminates interior so no food is hidden
- multi**Airflow** - improves circulation around the fridge
- soft**Close** door - provides smooth, effortless closure

A+ Energy · fresh Protectbox

iQ700

CI30RP01

- Dimensions (cm) : h213 x w76 x d61
- Noise level: 40dB
- fresh**Protectbox** - individual control for longer freshness
- 2 humidity controlled drawers on telescopic rails
- 4 glass shelves - 3 height adjustable
- LED light - illuminates interior so no food is hidden
- soft**Close** door - provides smooth, effortless closure

A+ Energy · noFrost

iQ700

FI24NP31

- Dimensions (cm): h213 x w60 x d61
- Noise level: 41dB
- no**Frost** - never defrost the freezer again
- Internal automatic ice maker
- 2 freezer drawers on telescopic rails
- super**Freeze** - moderates the temperature of new food
- soft**Close** door - provides smooth, effortless closure

A+ Energy · fresh Protectbox

iQ700

CI24RP01

- Dimensions (cm): h213 x w60 x d61
- Noise level: 40dB
- fresh**Protectbox** - individual control for longer freshness
- 2 humidity controlled drawers on telescopic rails
- 4 glass shelves - 3 height adjustable for added flexibility
- LED light - illuminates interior so no food is hidden
- multi**Airflow** - improves circulation around the fridge
- soft**Close** door - provides smooth, effortless closure

A+ Energy · noFrost

iQ700

FI24DP32 left hinged door*
FI24DP02 right hinged door

- Dimensions (cm): h213 x w60 x d61
- Noise: 41dB
- no**Frost** - never defrost the freezer again
- In-door ice and water dispenser
- multi**Airflow** - improves circulation around the freezer
- soft**Close** door - provides smooth, effortless closure

* non reversible

B Energy

iQ700

CI24WP02

- Dimensions (cm): h213 x w60 x d61
- Noise level: 42dB
- LED light - illuminates interior so nothing is hidden
- active**Cooling** - quick and even temperature distribution
- Capacity: 98 bottles of 0.75 litres
- Exclusively for the storage of wine

cool**Concept** built-in cooling appliances

Top marks for energy efficiency, capacity and convenience.

A++ Energy · eco+ More efficiency, more performance · noFrost

iQ500

KI34NP60

- Dimensions (cm): h177 x w56 x d55
- Noise level: 39dB
- no**Frost** - never defrost the freezer again
- 1 humidity controlled drawer on telescopic rails
- 3 glass shelves - 2 height adjustable for added flexibility
- 1 vario**Shelf** - easily adjusted for ever changing storage needs
- 3 freezer drawers - including 1 big**Box** for extra large food items
- LED light - illuminates interior so no food is hidden
- soft**Close** door - provides smooth, effortless closure

A++ Energy · eco+ More efficiency, more performance · noFrost · reddot design award winner 2010 · iF product design award

iQ500

GI38NP60

- Dimensions (cm): h177 x w56 x d55
- Noise level: 40dB
- no**Frost** - never defrost the freezer again
- 5 freezer drawers - including 1 big**Box** extra large food items
- LED light - illuminates interior so no food is hidden
- soft**Close** door - provides smooth, effortless closure

A++ Energy · eco+ More efficiency, more performance · vitaFresh · reddot design award winner 2010 · iF product design award

iQ500

KI42FP60

- Dimensions (cm): h177 x w56 x d55
- Noise: 39dB
- vita**Fresh**® - foods stays fresher for up 3 times longer
- super**Cool** - newly added food is cooled quickly and safely
- 7 glass shelves - 3 height adjustable
- 1 easy**Lift** glass shelf - provides added flexibility
- LED light - illuminates interior so no food is hidden
- soft**Close** door - provides smooth, effortless closure

A++ Energy · eco+ More efficiency, more performance · noFrost · iF product design award

iQ500

GI25NP60

- Dimensions (cm): h140 x w56 x d55
- Noise level: 40dB
- no**Frost** - never defrost the freezer again
- LED light - illuminates interior so no food is hidden
- 4 freezer drawers - including 1 big**Box** for extra large food items
- soft**Close** - provides smooth, effortless closure

A++ Energy · eco+ More efficiency, more performance

iQ500

KI25RP60

- Dimensions (cm): h140 x w56 x d55
- Noise: 39dB
- super**Cool** - perfect for adding new room temperature wine
- 2 humidity controlled drawers on telescopic rails
- 3 glass shelves - 3 height adjustable
- 1 easy**Lift** glass shelf - provides added flexibility
- LED light - illuminates interior so no food is hidden
- soft**Close** door- provides smooth, effortless closure

Built-in fridge freezers

A range with a host of great features and benefits.

A++ Energy
eco+ More efficiency, more performance
noFrost
hydroFresh

iQ500

KI85NAD30G

- Dimensions (cm): h177 x w56 x d55
- Noise level: 39dB
- no**Frost** - never defrost the freezer again
- hydro**Fresh** - humidity-controlled storage for fresher food
- fresh**Sense** - detects changes in temperature and adjusts so food stays fresher for longer
- 4 glass shelves - 3 height adjustable for added flexibility
- 4 freezer drawers - including 1 big**Box** for extra large food items

A++ Energy
eco+ More efficiency, more performance
lowFrost
hydroFresh

iQ300

KI87SAF30G

- Dimensions (cm): h177 x w56 x d55
- Noise level: 35dB
- low**Frost** - spend less time defrosting the freezer
- hydro**Fresh** - humidity-controlled storage for fresher food
- fresh**Sense** - detects changes in temperature and adjusts so food stays fresher for longer
- 5 glass shelves - 4 height adjustable for added flexibility
- 2 freezer drawers - including 1 big**Box** for extra large food items

A++ Energy
eco+ More efficiency, more performance
lowFrost
hydroFresh

iQ300

KI86SAF30G

- Dimensions (cm): h177 x w56 x d55
- Noise level: 35dB
- low**Frost** - spend less time defrosting the freezer
- hydro**Fresh** - humidity-controlled storage for fresher food
- fresh**Sense** - detects changes in temperature and adjusts so food stays fresher for longer
- 5 glass shelves - 4 height adjustable for added flexibility
- 3 freezer drawers - including 1 big**Box** for extra large food items

A+ Energy

iQ300

KI32VA50GB

- Dimensions (cm): h177 x w54 x d55
- Noise level: 40dB
- Manual defrost freezer
- 1 vegetable/salad drawer with rippled base for improved air circulation
- 4 glass shelves - 3 height adjustable for added flexibility
- 4 freezer drawers

A+ Energy

iQ300

KI38VA50GB

- Dimensions (cm): h177 x w54 x d55
- Noise level: 40dB
- Manual defrost freezer
- 1 vegetable/salad drawer with rippled base for improved air circulation
- 5 glass shelves - 4 height adjustable for added flexibility
- 3 freezer drawers

A+ Energy

iQ300

KI38VX22GB

- Dimensions (cm): h177 x w54 x d55
- Noise level: 40dB
- Manual defrost freezer
- 1 vegetable/salad drawer with rippled base for improved air circulation
- 5 glass shelves - 4 height adjustable for added flexibility
- 3 freezer drawers

Built-in fridges

Varying heights for any kitchen design.

Built-in fridges are continued overleaf.

A++ Energy
eco+ More efficiency, more performance
hydroFresh

iQ300

KI81RAD30

- Dimensions (cm): h177.5 x w56 x d55
- Noise level: 37dB
- hydro**Fresh** - humidity-controlled storage for fresher food
- 7 glass shelves - 6 height adjustable
- day**Light** - brighter interior fridge
- soft**Close** door - provides smooth, effortless closure

A++ Energy
eco+ More efficiency, more performance
hydroFresh

iQ300

KI82LAF30G

- Dimensions (cm): h177.5 x w56 x d55
- Noise level: 36dB
- Ice box
- 1 humidity controlled vegetable/salad drawer on telescopic rails
- 5 glass shelves - 4 easy pull out, 1 Easy access - extendable glass shelf
- day**Light** - brighter interior fridge
- soft**Close** door - provides smooth, effortless closure
- hydro**Fresh** - humidity-controlled storage for fresher food

A++ Energy
eco+ More efficiency, more performance
hydroFresh

iQ300

KI81RAF30G

- Dimensions (cm): h177.5 x w56 x d55
- Noise level: 37dB
- hydro**Fresh** - humidity-controlled storage for fresher food
- 7 removable safety glass shelves - 6 easy pull out
- day**Light** - brighter interior fridge
- super**Cool** - newly added food is cooled quickly and safely

A++ Energy
eco+ More efficiency, more performance
hydroFresh

iQ300

KI72LAF30G

- Dimensions (cm): h158 x w56 x d55
- Noise level: 36dB
- Ice box
- hydro**Fresh** - humidity-controlled storage for fresher food
- 4 removable safety glass shelves - 3 easy pull out, 1 Easy access - extendable glass shelf
- day**Light** - brighter interior fridge

A++ Energy
eco+ More efficiency, more performance
hydroFresh

iQ300

KI42LAF30G

- 300 Dimensions (cm): h122.5 x w56 x d55
- Noise level: 37dB
- Ice box
- hydro**Fresh** - humidity-controlled storage for fresher food
- Improved air circulation
- 5 removable safety glass shelves - 4 easy pull out, 1 Easy access - extendable glass shelf
- day**Light** - brighter interior fridge
- super**Cool** - newly added food is cooled quickly and safely



A++ Energy
eco+ More efficiency, more performance
hydroFresh

iQ300

KI41RAD30

- Dimensions (cm): h122.5 x w56 x d55
- Noise level: 33dB
- 1 vegetable/salad drawer on rippled base for improved air circulation
- 6 removable safety glass shelves - 5 easy pull out, 1 Easy access - extendable glass shelf
- day**Light** - brighter interior fridge
- soft**Close** door - provides smooth, effortless closure



A++ Energy
eco+ More efficiency, more performance
hydroFresh

iQ300

KI41RAF30G

- Dimensions (cm): h122.5 x w56 x d55
- Noise level: 33dB
- 1 vegetable/salad drawer on rippled base for improved air circulation
- 6 removable safety glass shelves - 5 easy pull out, 1 Easy access - extendable glass shelf
- day**Light** - brighter interior fridge

A++ Energy
eco+ More efficiency, more performance
hydroFresh

iQ300

KI32LAF30G

- Dimensions (cm): h102.5 x w56 x d55
- Noise level: 37dB
- Ice box
- 1 vegetable/salad drawer on rippled base for improved air circulation
- 4 removable safety glass shelves - 3 easy pull out, 1 Easy access - extendable glass shelf
- day**Light** - brighter interior fridge
- super**Cool** – newly added food is cooled quickly and safely

Built-in fridges

Varying heights for any kitchen design.

iQ300

KI31RAF30G

- Dimensions (cm): h102.5 x w56 x d55
- Noise level: 33dB
- 1 vegetable/salad drawer on rippled base for improved air circulation
- 5 removable safety glass shelves - 4 easy pull out, 1 Easy access - extendable glass shelf
- day**Light** - brighter interior fridge
- super**Cool** – newly added food is cooled quickly and safely

iQ300

KI21RAD30

- Dimensions (cm): h88 x w56 x d55
- Noise level: 33dB
- 1 vegetable/salad drawer on rippled base for improved air circulation
- 4 removable safety glass shelves - 3 height adjustable, 1 Easy access - extendable glass shelf
- day**Light** - brighter interior fridge
- super**Cool** - newly added food is cooled quickly and safely
- soft**Close** door - provides smooth, effortless closure

iQ300

KI21RAF30G

- Dimensions (cm): h88 x w56 x d55
- Noise level: 33dB
- 1 vegetable/salad drawer on rippled base for improved air circulation
- 4 removable safety glass shelves - 3 easy pull out, 1 Easy access - extendable glass shelf
- day**Light** - brighter interior fridge
- super**Cool** – newly added food is cooled quickly and safely

Built-in freezers

Large and small to suit your space.

iQ300

GI38NA55

- Dimensions (cm): h177 x w56 x d55
- Noise level: 40dB
- no**Frost** - never defrost the freezer again
- 5 freezer drawers - including 1 big**Box** for extra large food items
- 2 freezer flaps - allowing for easy access
- super**Freeze** - moderates the temperature of new food
- LED light - illuminates interior so no food is hidden
- soft**Close** door- provides a smooth, effortless closure

iQ300

GI18DA50GB

- Dimensions (cm): h87 x w54 x d54
- Noise: 36dB
- super**Freeze** - moderates the temperature of new food
- 4 freezer drawers

Wine coolers

A stunning addition in any kitchen.

iQ300

KF18WA43 left hinge door
KF18WA42 right hinge door

- Dimensions (cm): h87 x w54 x d54
- Noise level: 37dB
- Wine cooler - holds up to 32 wine bottles (0.75 litres)
- touch**Light** - interior light activates when touching the handle
- 6 shelves
- Right hand hinged door

Built-under fridges and freezer

When space is an issue.

iQ300

KU15LA60GB

- Dimensions (cm): h82 x w60 x d55
- Noise level: 38dB
- Ice box
- day**Light** - brighter interior fridge light
- 1 vegetable/salad drawer on rippled base for improved air circulation
- 2 glass shelves - 1 height adjustable for added flexibility

iQ300

KU15RA51GB

- Dimensions (cm): h82 x w59 x d55
- Noise level: 38dB
- day**Light** - brighter interior fridge light
- 1 vegetable/salad drawer on rippled base for improved air circulation
- 3 glass shelves - 3 height adjustable for added flexibility

iQ300

GU15DA50GB

- Dimensions (cm): h82 x w60 x d55
- Noise level: 38dB
- super**Freeze** - moderates the temperature of new food
- 3 freezer drawers

American-style fridge freezers

A striking collection with innovative food storage solutions.

reddot design award winner 2010

iQ700

KA62DS50GB black glass

- Dimensions (cm):h176 x w91 x d73
- Noise level: 44dB
- Ice and water dispenser
- no**Frost** - never defrost the freezer again
- fresh**Protectbox** - individual control for longer freshness
- 4 glass shelves - 3 height adjustable, 1 extendable, 1 easy**Lift**
- multi**Airflow** system - improves circulation around the fridge/freezer
- day**Light** - bright interior light

iQ700

KA62DS21 white glass (dot pattern)

- Dimensions (cm): h176 x w91 x d73
- Noise level: 44dB
- Ice and water dispenser
- no**Frost** - never defrost the freezer again
- fresh**Protectbox** - for longer food freshness
- 4 glass shelves - 3 height adjustable, 1 extendable, 1 easy**Lift**
- multi**Airflow** system - improves circulation around the fridge/freezer
- day**Light** - bright interior light

iQ700

KA62DP92GB stainless steel anti-fingerprint

- Dimensions (cm): h176 x w91 x d73
- Noise level: 44dB
- Ice and water dispenser
- no**Frost** - never defrost the freezer again
- fresh**Protectbox** - individual control for longer freshness
- 4 safety glass shelves - 3 adjustable, 1 extendable, 2 easy**Lift**
- multi**Airflow** system - improves circulation around the fridge/freezer
- LED lights - illuminates interior so no food is hidden

iQ500

KA62DA71GB stainless steel anti-fingerprint

- Dimensions (cm): h176 x w91 x d73
- Noise level: 44dB
- Ice and water dispenser
- no**Frost** - never defrost the freezer again
- fresh**Protectbox** - individual control for longer freshness
- 4 safety glass shelves - 3 adjustable, 1 extendable, 1 easy**Lift**
- multi**Airflow** system - improves circulation around the fridge/freezer
- LED lights - illuminates interior so no food is hidden

Installation diagrams

CI30RP01


756
2029
**min. 102+79
** Base adjustment
627* 756 762
629
610
2029
2125
2134
130
100
19
181**
756
**102+79
**72-106
608
* Thickness dependent on the kitchen unit door used. 19 corresponds to stainless steel door (special accessory).
19*
762
557
608
3
3
364
756
830
90°
115°

FI24NP31


603
2029
**min. 102+79
** Base adjustment
variable water connection at the appliance
627* 603 610
629
610
2029
2125
2134
130
100
19
181**
603
**102+79
**72-106
608
610
299
557
608
3
3
603
115°
90°
677
* Thickness dependent on the kitchen unit door used. 19 corresponds to stainless steel door (special accessory).
19*

CI24RP01


603
2029
2029
**min 102+79
**Base adjustment
627* 603 610
629
610
2125
2134
130
100
19
181**
603
**102+79
** 72-106
608
*Thickness dependent on furniture door used. 19 = optional stainless steel door
19*
610
557
608
3
3
299
603
677
90°
115°

FI24DP32
FI24DP02


186 231 186
830.5
368
830.5
**min 102+79
**Base adjustment
Variable water connection
627* 603 610
629
610
2029
2125
2134
130
100
19
181**
603
**102+79
**72-106
608
610
299
557
608
3
3
603
115°
90°
677
* Thickness dependent on the kitchen unit door used. 19 corresponds to stainless steel door (special accessory).
19*

CI36BP01


627* 908
914
629
610
2029
2125
2134
130
100
19
181**
908
**102+79
**72-106
608
** Base adjustment
452 452
1304
3
722
908
Variable water connection to the appliance
**min. 102+79
914
557
608
235
3
3
235
452
452
525
90°
115°
* Thickness dependent on the kitchen unit door used. 19 corresponds to stainless steel door (special accessory).
19*

CI24WP02


627* 603
610
629
610
2029
2125
2134
19
181**
603
608
**102+79
**72-106
* incl. 19 mm kitchen unit door correspond to stainless steel doc (special accessory)
** Base adjustment
75 1)
75 1)
150
453
1619
1) variable from 65-82 with furniture fronts
260
**min. 102+79
* Thickness dependent on the kitchen unit door used. 19 corresponds to stainless steel door (special accessory).
19*
610
557
608
3
3
299
603
677
115°

Measurements in mm. Line drawings are for reference only. Please download the latest installation guidelines from siemens-home.co.uk.
Siemens can not accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

Installation diagrams

KI34NP60


545 556
3
1015
1,772
110
697
703
731
560 recommended min. 550
Electrical connection above or to the side of the appliance
1,772+max.8
Double-floor installation and intermediate floor installation also possible
min. 100
350
min. 560
min. 40
B=Overlap of front panel
max. 1065 +B
min. 1041 +B
1772
4
There shall be no drawer under the built-in appliance
min. 703 +A
max. 727 +A
min. 100
max. 90
A=Lower edge of front panel
Ventilation area in the base min. 200 cm2

GI38NP60
KI42FP60
GI38NA55


545 556
3
1,743
1,772
1,749
110
560 recommended min. 550
Electrical connection above or to the side of the appliance
1,772+max.8
Double-floor installation and intermediate floor installation also possible
min. 100
350
min. 560
min. 40
B=Overlap of front panel
1772 +A+B
1772
There shall be no drawer under the built-in appliance
A=Lower edge of front panel
min. 100
max. 90
Ventilation area in the base min. 200 cm2

GI25NP60
KI25RP60


545 556
3
1,368
1,397
1,374
110
560 recommended min. 550
Electrical connection above or to the side of the appliance
1,397+max.8
Double-floor installation and intermediate floor installation also possible
min. 100
350
min. 560
B=Overlap of front panel
1397 +A+B
1397
There shall be no drawer under the built-in appliance
A=Lower edge of front panel
min. 100
max. 90
Ventilation area in the base min. 200 cm2

KI85NAD30G


545 558
1772
844
867
874
903
Air outlet min. 200 cm2
min. 560
560 recommended min. 550
max. 2200
1772+8
Ventilation space in the base min. 200 cm2
min. 40
B B
Front panel overhang
894+B (max.)
869+B (min.)
4
4
874+A (min.)
899+A (max.)
A A
Lower edge of front panel
The specified unit door dimensions are valid for a door gap of 4 mm.

KI87SAF30G


545 558
1772
1098
609
617
647
Air outlet min. 200 cm2
min. 560
560 recommended min. 550
max. 2200
1772+8
Ventilation space in the base min. 200 cm2
min. 40
B B
Front panel overhang
1151+B (max.)
1125+B (min.)
4
4
617+A (min.)
643+A (max.)
A A
Lower edge of front panel
The specified unit door dimensions are valid for a door gap of 4 mm.

KI86SAF30G


545 558
1772
1012
694
702
733
Air outlet min. 200 cm2
min. 560
560 recommended min. 550
max. 2200
1772+8
Ventilation in the base min. 200 cm2
min. 40
B B
Front panel overhang
1066+B (max.)
1039+B (min.)
4
4
702+A (min.)
729+A (max.)
A A
Lower edge of front panel
The specified unit door dimensions are valid for a door gap of 4 mm.

Measurements in mm. Line drawings are for reference only. Please download the latest installation guidelines from siemens-home.co.uk.
Siemens can not accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

Installation diagrams

KI32VA50GB


545
541
Air outlet min. 200cm²
min. 50
860
1772
min. 560
1772+8
min. 550
866
874
904
Ventilation space in the base min. 200cm²
1772+8
0
0
Front panel overhang
894+B (max.)
868+B (min.)
4
874+A (min.)
900+A (max.)
Lower edge of front panel
A
A

The given measurements are for a door gap of 4mm. If using a different width of gap (max. 14mm) the measurements must be adjusted when planning the kitchen.

KI38VA50GB


545
541
Air outlet min. 200cm²
min. 50
1116
1772
min. 560
1772+8
min. 550
609
617
647
Ventilation space in the base min. 200cm²
1772+8
0
0
Front panel overhang
1151+B (max.)
1125+B (min.)
4
4
617+A (min.)
643+A (max.)
Lower edge of front panel
A
A

The given measurements are for a door gap of 4mm. If using a different width of gap (max. 14mm) the measurements must be adjusted when planning the kitchen.

KI38VX22GB


545
541
1772
1089
557
592
674
Air outlet min. 200 cm²
min. 560
max. 2200
560 recommended min. 550
1772+8
Venting through base min. 200 cm²
min. 40
O
O
Front panel overhang
1176+O (max.)
1098+O (min.)
4
4
592+A (min.)
670+A (max.)
Lower edge of front panel
A
A

The specified cabinetry door dimensions apply for a door gap of 4 mm.

KI81RAD30
KI82LAF30G
KI81RAF30G


545
558
1772
1749
1743
Air outlet min. 200 cm²
min. 560
max. 2200
560 recommended min. 550
1772+8
Ventilation space in the base min. 200 cm²
min. 40
B
Front panel overhang
1772 A+B (max.)
Lower edge of front panel
A

KI72LAF30G


545
558
1578
1555
1548
Air outlet min. 200 cm²
max. 2200
min. 560
560 recommended min. 550
1578+7
Ventilation space in the base min. 200 cm²
min. 40
B
Front panel overhang
1578 A+B (max.)
Lower edge of front panel
A

KI42LAF30G


545
558
1221
1191
1199
Air outlet min. 200 cm²
min. 560
max. 2200
1221+7
560 recommended min. 550
Ventilation space in the base min. 200 cm²
min. 40
B
Front panel overhang
1221+A+B (max.)
Lower edge of front panel
A

Measurements in mm. Line drawings are for reference only. Please download the latest installation guidelines from siemens-home.co.uk.
Siemens can not accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

Installation diagrams

KI32LAF30G
KI31RAF30G


545
558
1021
991
999
Air outlet min. 200 cm²
min. 560
1021+7
max. 2200
560 recommended min. 550
Ventilation space in the base min. 200 cm²
min. 40
B
Front panel overhang
1021+A+B (max.)
Lower edge of front panel
A

KI41RAF30G
KI41RAD30


545
558
1221
1191
1199
Air outlet min. 200 cm²
min. 560
1221+7
max. 2200
560 recommended min. 550
Ventilation space in the base min. 200 cm²
min. 40
B
Front panel overhang
1221+A+B (max.)
Lower edge of front panel
A

KI21RAD30
KI21RAF30G


545
558
874
844
852
Air outlet min. 200 cm²
min. 560
874+7
max. 2200
560 recommended min. 550
Ventilation space in the base min. 200 cm²
min. 40
B
Front panel overhang
874+A+B (max.)
Lower edge of front panel
A

KF18WA42
KF18WA43


32
510
538
10
881
874
588
4
Air outlet min. 200 cm²
min. 50
min. 560
876+4
min. 550
Ventilation space in the base min. 200 cm²

GI18DA50GB


Air outlet min. 200cm²
min. 50
541
min. 560
874
874+7
min. 550
542
Ventilation in the base min. 200cm²

KU15LA60GB
KU15RA51GB
GU15DA50GB


600
580
100/150*
170/220*
30-85
100/150*
548
598
600
min. 550
818
868*
820
870*
17
170
220*
100
150*
*Variable base/ structure height

Space for electrical connection next to the appliance on the left or right hand-side. Ventilation in the base.

KA62DS50GB
KA62DS21
KA62DP92GB
KA62DA71GB


387
515
1756*
910
725
910
76
280
610
min. 38.5
max. 53.5
Water connection to the appliance

* (adjustable from 1747 to 1762)


25
343
24
791
725
24
610
464
1031
1159
160°
90°
66
90°
160°

Refrigerator drawer can be pulled out completely at 160° angel door opening


a
b
x1
x2
x1
x2
90°
160°

x_1 (unit depth)	a	b
600	24	24
650	24	100
700	24	175
x_2 (wall)	90	464

Measurements in mm. Line drawings are for reference only. Please download the latest installation guidelines from siemens-home.co.uk.
Siemens can not accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

Dishwashers

Extra innovations
for extra shine.

Clever *lighting.*

Lighting innovations that create ambiance in your living space and keep you informed, Siemens dishwashers feature an internal blue emotion**Light** that has the wow-factor; once you've seen it in action you are sure to want to show-off brilliantly cleaned glasses in your own home.

The cool glow of emotion**Light** accents any atmosphere.



You'll never open the door half way through a cycle again with time**Light**.

With our dishwashers being so quiet, how else would you know they were on?

Useable on any surface of any colour, time**Light** projects the remaining time of the dishwasher cycle on to the floor. With our dishwashers being so quiet it can be hard to tell when they are on or off. This is the perfect solution to let you know the machine is running, so you can avoid opening the door mid cycle.

Cool glow of emotion**Light.**

Creating a relaxed ambiance in your living space, the emotion**Light** uses LED lights to reflect off your brilliantly-cleaned glasses and create a cool blue glow emanating from inside your dishwasher. LED lights high in the door frame bathe the interior of the dishwasher in beautiful blue light when you open the door, and switch off again when you close it. The LED lights never need to be changed and will last the lifetime of your dishwasher.

Utilising natural technology for unprecedented, energy efficient results.

Saving energy *naturally.*

Energy efficiency meets cutting edge design.

Using advanced drying technologies, Siemens dishwashers keep energy consumption to a minimum. Zeolith®, a form of naturally occurring mineral, has the astonishing ability to absorb moisture and convert it to heat.

What does this mean for you? The heat produced naturally by the Zeolith® is used for the drying cycle. No additional energy is therefore required to heat up the contents of your dishwasher for the drying process (as with a standard drying system). This results in perfect drying, with less energy usage.

The Zeolith® mineral is stored in the depths of the dishwasher; this regenerates itself and keeps working for the entire lifetime of the machine. Combine this with the economy 50 programme to get brilliant results with minimal energy.

Harnessing the power of nature, Zeolith uses naturally occurring minerals that absorb moisture and release it as energy to dry the contents of your dishwasher.

Add an extra shine.

Shine & Dry is a unique energy efficient function that produces table ready, gleaming glassware by harnessing the power of Zeolith®. This special drying cycle not only brings out a streak free shine in most delicate glassware and tableware but also means extra dry and stain free plastics, pots and pans.

1 **Drying phase.**
Zeolith® absorbs moisture and converts it to heat energy.

2 **Cleaning phase.**
As the mineral is heated during the cleaning cycle, it is recharged and ready to absorb moisture once more.

A+++ Energy

eco+ More efficiency, more performance

Zeolith®-Drying

Shine & Dry

Clean dishes before the evening is over.

Clean and dry in a third of the time, with no compromise on washing or drying performance.

varioSpeed Plus

Ever needed your dishes cleaned quickly, forgotten to put the dishwasher on in the morning, or simply need clean plates before your guests arrive? That's why we've introduced vario**Speed** Plus, the perfect time saver. vario**Speed** Plus reduces the time it takes to wash and dry a full load down to a third.

Ideal when you need your cutlery and plates in a hurry, just press the vario**Speed** Plus button in conjunction with your desired programme* and it will run the dishwasher significantly faster without compromising on wash quality. Used together with the Eco 50 programme, vario**Speed** Plus will wash and dry a full load in just over an hour. Giving you time saving solutions when you need them the most and sparkling clean dishes fast.

*Except quick wash 45°C programme

*For sparkling clean dishes fast, use the vario**Speed** Plus option.*

Model shown; SN66T097GB Built-in Dishwasher

Top drawer.

Dishwasher interior design at its highest level.

Keeping the design of your dishwasher just as sleek on the inside as it is out, Siemens dishwashers house various features that are going to benefit you when washing your dishes. These include adjustable drawers and baskets for larger pans or serving plates, extra slats for wine glasses and crockery, a cutlery drawer and a basket that helps to disperse detergent more effectively.

rack**Matic**™

Ever found yourself loading and unloading the dishwasher because the last pan doesn't fit? rack**Matic**™ conveniently allows you to raise and lower the height of the top basket, even when the dishwasher is full. With the simple flick of a lever you can raise or lower the basket to suit you washing needs. This increased flexibility ultimately saves you time and takes the stress out of a mundane chore.

> *No matter how many guests you are planning on having for dinner, loading the dishwasher will be quick and easy.*

Siemens recommends using Finish dishwashing products.

Siemens has tested and recommends using Finish dishwashing products. For an amazing shine and clean on all your dishes and cookware, Siemens recommends new Finish Quantum with PowerGel.

SWITCH & SEE THE DIFFERENCE!
QUANTUM
finish

vario**Flex Plus** basket system and vario**Drawer** Plus.

Making the most of space within the dishwasher, vario**Flex Plus** allows you to create extra space for pots and pans. By letting you adjust slats to suit your load, the inside of your dishwasher is constantly adjustable. Adding a third shelf for cutlery, vario**Drawer** Plus removes the need for a cutlery basket and creates more space. Perfect for the extra-large dinner party, you can fit more in, making the after dinner clean up quick and simple. Enjoy fewer washes and more flexibility.

dosage**Assist.**

Sparkling dishes come as standard with dosage**Assist**. Ensuring that your dishes receive the best possible clean every time dosage**Assist** quickly and evenly dissolves your dishwasher tablets throughout the entire machine, leaving no mess for you to clean at the end of the cycle. Rather than the detergent tablet dropping to the bottom of your machine, it falls into an innovative basket at the front, allowing it to dissolve completely leaving no mess and a brilliant clean.

Added extras.

Convenience and cutting-edge technology stunningly combined. Siemens dishwashers give you more than just clean dishes. Functional programmes with benefits you will want to see, no longer will you want to select the quickest wash.

extra**Dry.**

Why spend time towel-drying plasticware when extra**Dry** does it for you? extra**Dry** is designed to make sure that plasticware comes out of the dishwasher bone dry - no more water droplets, no more hand drying.

half**Load.**

The half**Load** function is great for couples and smaller households. Letting you place items anywhere in the dishwasher, it is ideal for smaller loads and uses up to 20% less water and 10% less energy to produce a brilliant clean. A dishwasher uses water and energy most efficiently when run with a full load. However, with half**Load** you have a resource saving option for when you can't wait until the dishwasher is full.

hydro**Dry.**

Protect your glasses from cracking with hydro**Dry**. Heat generated during the wash cycle is used to pre-heat the rinsing water to stop glasses being put under stress. The system also optimises the drying process. Not only does this ensure your favourite glasses are hygienically cared for as no external air is brought into the machine to dry them, but as no existing heat is used to gently warm the rinse water, it is energy-efficient too.

The Hygiene option.

Great for cleaning food containers and utensils, babies' bottles and chopping boards the hygiene option kills 99.9% of bacteria and germs. Providing a simple solution to the upkeep of your family's health, the final rinse heats up to 70°C regardless of the cycle you choose.*

*Not on delicate programme.

intensive**Zone.**

With intensive**Zone**, you can wash delicate glasses and burnt cooking pans in the same wash. The higher temperature and increased spray pressure in the lower basket ensures stubborn stains are removed, whilst delicate items are protected in the top basket. This means there is no need to separate washes in to different loads, and no need to soak heavily soiled pans overnight. First-class convenience guaranteed.



door open**Assist.**

With door open**Assist** you can open fully integrated dishwashers by simply touching the front of the unit. This lets you open the door without the need for a handle. The new door open**Assist** feature is the solution choice for sleek designer kitchens with handleless doors. Innovative, modern, and friendly.

SIEMENS
auto
eco
70°
45°-65°
50°
40°
45°
1:05
h
start

Model shown; SN66M031GB stainless steel dishwasher

Space-saving lifesaver.

The less space available, the more valuable that space becomes. This is especially true of a small kitchen, where a lot of space can be gained by using it efficiently, a 45cm dishwasher can help you to do just that.

Working twice as hard to give you even better cleaning results, duo**Power** spray arms.

A+ Energy | duoPower | 9 L Water

Although the built-in dishwasher in the 45cm series may be small, it is still intelligent when it comes to powerful cleaning. Benefitting from 2 spray arms under the top basket as opposed to just one, duo**Power** ensures that your dishes receive the best possible clean, with 2 duo**Power** arms working doubly hard to reach every inch of the basket.

Featuring the innovative Siemens duo**Power** double spray arm and the time saving vario**Speed** option, this model also features the vario**Drawer** cutlery tray, giving you nothing but outstanding results. Siemens dishwashers are designed to thoroughly clean dishes, but quietly whilst using minimal water and energy. With Siemens, dishes have nowhere to hide.

Resource efficiency.

The 45cm built-in dishwasher from Siemens uses only 9 litres of water to wash 10 standard place settings in one cycle, making them resource efficient too.

Model shown; SR65T080GB stainless steel dishwasher

Saving energy *Naturally.*

Utilising natural technology for unprecedented drying.

Keeping your energy consumption to a minimum Siemens iQ700 dishwasher uses Zeolith®, a naturally occurring mineral, to create the heat and energy needed for drying dishes. This combined with vario**Speed** Plus for a significantly faster wash, and the innovative, convenient vario**Drawer** Plus gives you a dishwasher that is easy to use and designed to perform.

iQ 700
SN66T095GB

At a glance

- 14 Place settings
- 6 Programmes
- 4 Options including:
- intensive**Zone**, dinner party dishes cleaned up in one load
- vario**Speed** Plus, significantly faster without compromising on wash quality
- Zeolith® - energy-efficient drying
- time**Light** - projects the time remaining onto the floor
- vario**Drawer** Plus - increased flexibility and added space
- vario**Flex** Plus basket system - adjustable basket for different loads
- emotion**Light** - cool glow over dishware
- Noise level: 43dB
- Dimensions (cm): h81.5 x w59.8 x d55

Go to pages 133-135 to view the whole range.

A+++ Energy
eco+ More efficiency, more performance
9 L Water
Zeolith®-Drying

Brilliant drying.

The energy-efficient Zeolith utilises natural minerals that release moisture as energy. Receive brilliant drying, costing as little as 10p per cycle, whilst being kinder to the environment.

Add an extra shine.

Experience instant sparkling and streak-free glasses with Shine & Dry - making the perfect impression for any occasion without the need to hand dry glasses. It perfectly dries plasticware too, saving you the trouble of drying them yourself.

More space.

vario**Drawer** Plus frees up space as you don't need a cutlery basket, creating ample room in your dishwasher for more place settings - ideal for larger dinner parties.

Energy efficiency meets cutting edge design.

Clever *Lighting.*

Lighting innovations that create ambiance in your living space and keep you informed.

The iQ500 dishwashers house many of the innovations found in our iQ700 model such as, the emotion**Light** uses blue LED lights to reflect off your brilliantly-cleaned glasses, to create a wow factor. Whilst also benefiting an A++ energy efficiency rating.

iQ 500
SN66T097GB

At a glance

- 14 Place settings
- 6 Programmes
- 4 Options including:
- intensive**Zone**, dinner party dishes cleaned up in one load
- vario**Speed** Plus, significantly faster without compromising on wash quality
- time**Light** - projects the time remaining onto the floor
- vario**Drawer** Plus - increased flexibility and added space
- vario**Flex** Plus basket system - adjustable basket for different loads
- emotion**Light** - cool glow over dishware
- Noise level: 42dB
- Dimensions (cm): h81.5 x w59.8 x d55

Go to pages 133-135 to view the whole range.

A++ Energy
eco+ More efficiency, more performance
9 L Water

timeLight**: Information with no need to open the door.**

Useable on any surface of any colour, time**Light** projects the remaining time of the dishwasher cycle on to the floor. With our dishwashers being this quiet, it's the perfect solution to let you know the machine is switched on.

The cool glow of emotion Light** accents any atmosphere.**

Show off brilliantly-cleaned glasses and enhance a relaxed atmosphere in your kitchen with emotion**Light**. The cool blue light emanates from the dishwasher, adding to the ambiance of the room.

Perfect time saver.

vario**Speed Plus** is the perfect time saver, reducing washing and drying times down to a third. Ensure you're never caught out if you forget to start the dishwasher before work.

With our dishwashers being so quiet, how else would you know they were on?

Space *Saving.*

Use every square centimetre of living space efficiently.

The less space available, the more valuable that space becomes. This is especially true of a small kitchen, where a lot of space can be gained by using it efficiently. A 45cm slimline dishwasher can help you to do just that.

iQ 500
SR65T080GB

At a glance

- 10 place settings
- 5 programmes
- 3 options including:
- intensive**Zone**, dinner party dishes cleaned up in one load
- vario**Drawer** - additional loading level for cutlery
- rack**Matic**™ - 3 stage height adjustable basket
- Noise level: 48dB
- Dimensions (cm): h81.5 x w44.8 x d55

Go to pages 133-135 to view the whole range.

A+ Energy
9 L Water

Nowhere to hide.

duo**Power** provides 2 powerful spraying arms that work in unison to reach every corner of the dishwasher, leaving nothing but outstanding results - every time.

More space.

vario**Drawer** frees up space as you don't need a cutlery basket, creating ample room in your dishwasher for more place settings - ideal for larger dinner parties.

Perfect time saver.

vario**Speed** is the perfect time saver, reducing washing and drying times by up to 50%. Ensure you're never caught out if you forget to start the dishwasher before work.

Small but still intelligent when it comes to powerful cleaning.



Welcome to a range *designed* around you.

As you'd expect, Siemens dishwashers take full advantage of the latest technologies. Designed to fit in around your hectic lifestyle our dishwashers feature efficient, time saving and environmentally conscious programmes that are going to make your dishes shine. With sleek stylish design, both inside and out, they are designed to complement your modern home.

iQ 700

Exceptional design allied with seriously innovative technology is the basis of these, our premium models.

iQ 500

Exuding class and refinement, these machines unite first-class features with top-class technology.

iQ 300

Good looking appliances with Siemens build quality equipped with an attractive selection of smart features.

Dishwashers

Featuring ground-breaking dishwasher technology Siemens built-in dishwashers are going to provide clean dishes every time, whilst using minimum water and energy.

A++ Energy | eco+ More efficiency, more performance

iQ300

SN56M530GB stainless steel

- 13 Place settings
- 6 Programmes
- 4 Options
- vario**Flex** basket - allows greater flexibility for individual needs
- vario**Speed Plus** - significantly faster without compromising on wash quality
- emotion**Light** - cool glow over dishware
- Noise level: 44dB

A+++ Energy | eco+ More efficiency, more performance | timeLight | Zeolith®-Drying | varioDrawer Plus

iQ700

SN66T095GB

- 14 Place settings
- 6 Programmes
- 4 Options
- Zeolith® - energy-efficient drying
- vario**Speed Plus** - significantly faster without compromising on wash quality
- time**Light** - projects the time remaining onto the floor
- vario**Drawer Plus** - increased flexibility and added space
- emotion**Light** - cool glow over dishware
- Noise level: 43dB

A++ Energy | eco+ More efficiency, more performance | openAssist | timeLight | varioDrawer Plus

iQ500

SN66TI97GB

- 14 Place settings
- 6 Programmes
- 4 Options
- door open**Assist** - handle-free easy-opening
- vario**Flex** basket - allows greater flexibility for individual needs
- emotion**Light** - cool glow over dishware
- vario**Drawer Plus** - increased flexibility and added space
- Noise level: 42dB

A++ Energy | eco+ More efficiency, more performance | timeLight | varioDrawer Plus

iQ500

SN66T097GB

- 14 Place settings
- 6 Programmes
- 4 Options
- vario**Speed Plus** - significantly faster without compromising on wash quality
- time**Light** - projects the time remaining onto the floor
- vario**Drawer Plus** - increased flexibility and added space
- emotion**Light** - cool glow over dishware
- Noise level: 42dB

A++ Energy | eco+ More efficiency, more performance | varioDrawer Plus

iQ500

SX76T097GB extra height model

- 13 Place settings
- 6 Programmes
- 4 Options
- vario**Flex** basket allows greater flexibility for individual needs
- vario**Hinge** door - ideal for high plinth installation
- vario**Drawer Plus** - increased flexibility and added space
- Noise level: 42dB

A++ Energy | eco+ More efficiency, more performance | timeLight

iQ300

SN66M031GB

- 14 Place settings
- 6 Programmes
- 4 Options
- vario**Speed Plus** - significantly faster without compromising on wash quality
- time**Light** - projects the time remaining onto the floor
- Noise level: 44dB

Slimline Dishwasher

Small in stature, big on features.

A+ Energy | iQdrive | varioDrawer

iQ500

SR65T080GB

- 10 Place settings
- 5 Programmes
- 3 Options
- vario**Flex** basket allows greater flexibility for individual needs
- vario**Drawer** - increased flexibility and added space
- vario**Speed** - significantly faster without compromising on wash quality
- Noise level: 48dB

For available accessories in the built-in dishwasher range please ask your retailer or visit siemens-home.co.uk/store.

Installation diagrams

SN56M530GB


573
598
600
min. 550
max. 143
114
815-875
655-725
815-875
89
53
min. 90
max. 220
100
550
1.2 m
1.6 m
60 cm
(3.6 m) 1.4 m
1.2 m (3.4 m)
(3.6 m) 1.6 m
1.5 m (3.5 m)

( ) values with extension kit

SN66T095GB
SN66T097GB
SN66M031GB


550
598
600
min. 550
815-875
655-725
815-875
89
53
min. 90
max. 220
100
1.2 m
1.6 m
60 cm
(3.6 m) 1.4 m
1.2 m (3.4 m)
(3.6 m) 1.6 m
1.5 m (3.5 m)

( ) values with extension kit

SX76T097GB


550
598
600
min. 550
865-925
705-800
865-925
89
53
min. 65
max. 220
100
1.2 m
1.6 m
60 cm
(3.6 m) 1.4 m
1.2 m (3.4 m)
(3.6 m) 1.6 m
1.5 m (3.5 m)

( ) values with extension kit

SR65T080GB


550
448
450
min. 550
815-875
655-725
815-875
89
53
min. 90
max. 220
100
1.3 m
1.6 m
45 cm
(3.6 m) 1.4 m
1.2 m (3.4 m)
(3.8 m) 1.8 m
1.5 m (3.5 m)

( ) values with extension kit

SN66T197GB


550
598
600
min. 550
815-875
655-725
815-875
89
53
min. 90
max. 220
100
1.2 m
1.6 m
60 cm
(3.6 m) 1.4 m
1.2 m (3.4 m)
(3.6 m) 1.6 m
1.5 m (3.5 m)

( ) values with extension kit

Measurements in mm. Line drawings are for reference only. Please download the latest installation guidelines from siemens-home.co.uk. Siemens can not accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

SIEMENS
Start Pause
Intensive Wash
Pre-wash
Less Ironing
Extra Rinse
60°
1400
Temp.
rpm
Finish in
Off
Easy-Care Dark
Shirts/Business
Outdoor Wear
PowerWash 60'
Rapid 15'
Low spin
Empty
Spin
Cottons/Coloureds
Coloureds eco
Easy-Care
Mixed Fabrics
Delicates/ Silk
Wool
Rinse
SI 14·44 totalTextile Management

Home Laundry

Smarter thinking, smarter clothes.

Model shown; built-in washing machine WI14S440GB

Behind closed doors

Cleverly designed and quietly efficient our built-in washing machines and washer dryers work away behind closed doors, producing beautifully clean clothes without ruining the beautifully clean lines of your living space.

Built-in to a modern kitchen or utility room, Siemens washing machines and washer dryers not only look great, they perform too. With state-of-the-art technology they are extremely energy efficient, easy to use and save time and money. From the sophisticated sensor technology and cutting edge engineering, to the carefully designed range of programmes and options offered our built-in laundry appliances are designed, from the ground up to help manage the range and complexity of modern textiles, quietly behind closed doors.

Model shown; built-in washing machine WI14S440GB

Discreetly Efficient.

Siemens built-in washing machines perform efficiently behind closed doors whilst keeping your kitchens sleek lines and clean design.

With many special programmes to choose from, for all your needs. Our iQ500 washing machine caters for your hectic lifestyle without you even knowing.

iQ500
WI14S440GB

At a glance

- Capacity: 7kg
- Spin speed: 1400rpm
- 5 special programmes - including rapid**15** and Shirts/Blouses/Time Remaining
- Time delay - wash when the time is right for you
- Inverse logic - reduces wash times by up to 40%
- Large display - for easy navigation

Go to pages 141-143 to view the whole range.



What can you do in 15 minutes?

Add the laundry to your list. rapid**15** rinses, washes and spins lightly soiled clothing in just 15 minutes, meaning your favourite shirt will be ready for the evening before you've finished dinner.

Moderates foam, keeping clothes immaculate.

Too much foam can ruin clothes, so it's important to moderate how much is in the wash. The foam detection system accurately achieves this, adding extra rinse cycles to remove excess foam.

Welcome the logical solution for clean clothes.

Clothes are usually dirty from day-to-day wear, only needing a light clean. Inverse logic is the default setting that produces perfect results for daily-worn clothes, reducing washing times by up to 40%. It's the logical solution.

> *Extremely energy efficient, easy to use, and most importantly designed to save you time and money.*

Taking the chore out of *Laundry.*

The last word in convenience.

When your living space is limited Siemens washer dryers combine your laundry duties all-in-one. With a non-stop wash and dry programme for a 4kg load, we take care of your laundry so you don't have to.

iQ500
WK14D540GB

At a glance

- Capacity:
  6kg washing: 3kg drying
- Spin speed selection:
  1400rpm to 600rpm
- Non-stop wash and dry programme; 4kg
- 6 special programmes - including night wash, rapid**15** and outdoor wear
- 1 special drying programme - fluff removal cycle
- Time delay/time remaining - wash and dry when right for you
- Large display - for ease navigation

Go to pages 141-143 to view the whole range.

B
Energy

Night wash.

A special programme that minimises noise reduction, providing the perfect wash without disturbing your sleep.

Perfect when speed is the only option.

The flexi**Time** function is designed for when speed is the only option, reducing laundry cycles by up to 30%.

Keeping clothes multi-functional.

Working with Nikwax, this programme applies a waterproof treatment to breathable fabrics, pro-longing the life of high quality functional clothing like winter jackets, fleeces and ski suits. Simply add the Nikwax treatment to your detergent drawer and select the Textile Guard option.

Wash and dry up to 4kg of laundry non-stop.

Welcome to a range *designed* around you.

Siemens have created a built-in laundry range that is cleverly designed and quietly energy efficient, developed to make laundry easier and less of a chore.

iQ500

Exuding class and refinement, these machines unite first-class features with top-class technology.

iQ300

Good looking appliances with Siemens build quality equipped with an attractive selection of smart features.

Washing machines

Built with the latest innovations Siemens built-in washing machines are going to provide you with clean laundry time and time again.

A+ Energy

iQ500

WI14S440GB white

- Capacity: 7kg
- Spin speed: 1400rpm
- 5 special programmes - including rapid**15** and Shirts/Blouses
- Time delay - wash when the time is right for you
- Inverse logic - reduces wash times by up to 40%
- Large display - for easy navigation

A+ Energy

iQ300

WI12S140GB white

- Capacity: 7kg
- Spin speed: 1400rpm
- 3 special programmes including handwash/wool
- Inverse logic - reduces wash times by up to 40%

Washer dryers

Keeping your living space to a minimum a Siemens washer dryer combines your laundry duties all-in-one. With all the same great benefits and easy to use programmes, resulting in perfectly clean and dry laundry.

B Energy

iQ500

WK14D540GB white

- Capacity: 6kg washing: 3kg drying
- Spin speed selection: 1400rpm to 600rpm
- Non-stop wash and dry programme; 4kg
- 6 special programmes - including night wash, rapid**15** and outdoor wear
- 1 special drying programme - fluff removal cycle
- Time delay/time remaining - wash and dry when right for you
- Large display - for ease navigation

B Energy

4 kg Washing + Drying

iQ300

WK14D320GB white

- Capacity: 6kg washing: 3kg drying
- Spin speed selection : 1400rpm to 600rpm
- Non-stop wash and dry programme: 4kg
- 3 special wash programmes - including handwash/wool
- 1 special drying programme - fluff removal cycle
- Time delay/time remaining - wash and dry when right for you
- Large display - for ease navigation

Installation diagrams

WI14S440GB
WI12S140GB


Z detail
(595)
(592)
35
21
Hinge cup
hole depth
min. 12
818
202
Z
338.6
30
19
max. 598
574
594 fascia
202
Z
338.6
138.5
front
590 panel
596
housing
15+12
574
555 incl.
hinge
544
107
5
11
19
818
15
153
15+12
60


approx. 1400
approx. 1300
approx. 1000
approx. 1300
max.
1000
approx. 900
approx. 1400
max.
1000

If, after fitting, the HydroSafe inlet hose to the installation is not long enough, it can be lengthened with the connecting kit WZ 10130 (length 2.5 m).

WK14D540GB
WK14D320GB


Z detail
(595)
35
24
Hinge cup
hole depth 13
A
Z
820
186
413
25
595
584
595 fascia
Z
186
413
150
20+12
595 housing
584
550
120
190
170
7
32
60
19
(max. 21)
50-60
820
20+12
70
150
max.
150
25


approx.
1,150
approx.
1,200
approx.
1,100
approx.
800
min.
500
max.
900
approx.
1,800
approx.
1,300
min.
500
max.
900
As appropriate

Measurements in mm. Line drawings are for reference only. Please download the latest installation guidelines from siemens-home.co.uk.
Siemens can not accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

Greener products, *cleaner planet.*

Investing in the future, Siemens is committed to protecting the Earth's natural resources.

More than 80 percent* of the environmental impact occurring over a home appliance's lifetime is attributable to the usage phase. This is why, over the last few decades, BSH developers have been focusing on designing appliances that consume less energy, water and detergent. Environmental protection and energy efficiency are core topics within our corporate strategy.

What does this mean to you?

Our innovative energy-saving solutions from leading energy saving motors, to the brightest white, low-energy (LED) light can save you money and decrease your energy usage.

Energy saving comes automatically.

Supporting environmental initiatives, the EU energy efficiency label is carried on all appliances; class A+++ being the most energy efficient. Reinforcing our focus on reducing energy consumption of our appliances reducing our carbon footprint, and passing on this energy saving to you, the consumer.

World-class performance.

We make sure that Siemens ovens are as efficient as possible, with all our single and double oven cavities achieving a class A rating for energy efficiency. Selected models that feature hotair**Eco**, a single shelf cooking programme, require 30% less energy than A rated appliances when hotair**Eco** is used. And to top that, all of them are at least 20% more efficient than the standard requirements to achieve an A rating.

Most of our extractor hoods feature energy efficient low-voltage halogen lights; these offer excellent illumination of the hob space underneath but require replacing much less often. That means you don't have to worry about changing them or their effect on the environment.

If all UK consumers who bought an A rated fridge-freezer in 2011 had purchased an A+++ rated appliance instead, UK households would have saved £24 million in energy costs and 100,000 tonnes of carbon in one year (the equivalent carbon saving of taking over 30,000 cars off the road for a year). The Siemens range of super efficient fridge freezers offers a simple way to reduce your energy consumption. Much is the same for dishwashers with all of Siemens range rated at least A+ for energy efficiency and some offering the most efficient A+++ rating.

Built with ground- breaking technology, all Siemens washing machines automatically adapt the wash time and energy consumption to the amount of laundry in the machine.

In buying a Siemens product you can expect outstanding world-class performance, as well as a clear conscience.

World-class performance.
Minimum environmental impact.

*Source: BSH Bosch und Siemens hausgerate GMBH, Our Super Efficiency Portfolio.

Contact us.

You can reach us 24 hours a day by phone **0844 892 8999**
or online **siemens-home.co.uk**

Our advisors provide expert advice.

Telephone: UK: **0844 892 8999**
- Option 3

- Product information before and after purchase
- Tips on functions and operation
- User related queries

For product support available 24 hours a day visit online for:

- Product information
- Downloadable brochures
- Videos
- Instruction manuals
- FAQs

siemens-home.co.uk
siemens-home.com/ie

Our Product Advice team is here to help you before and after they purchase a Siemens appliance. Our advisors can assist in choosing an appliance to suit your needs by guiding you through the models in our range, as well as offering advice on product features and programmes.

Accessories and cleaning products.

Telephone: UK: **0844 892 8999**
- Option 2
IRL: **01450 2655**

- Original accessories for Siemens appliances
- Tested and approved cleaning and care products

Order accessories and cleaning products quickly and easily via our online store.

siemens-home.co.uk/store
siemens-eshop.ie

The Siemens store has an extensive selection of accessories to help you make the most of your Siemens appliance. With our range of tested and approved cleaning and care products you can keep your appliance looking good and working to optimum performance.

Replacement spare parts.

Telephone: UK: **0844 892 8999**
- Option 2
IRL: **01450 2655**

- Original spare parts
- Comprehensive range of parts kept available for up to 10 years

Order replacement parts online and access exploded diagrams to help you locate the correct part.

siemens-home.co.uk/store
siemens-eshop.ie

As the manufacturer we only use original spare parts. Browse appliance diagrams to locate and purchase the parts you need.

Arrange an engineer visit.

Telephone: UK: **0844 892 8999**
- Option 1
IRL: **01450 2655**

- Call to discuss the issue with an appliance or check online for help
- Engineer appointments at your convenience

Book an engineer visit online and get useful help and advice.

siemens-home.co.uk
siemens-home.com/ie*

Siemens appliances are built to the highest standards but if your customers do require an engineer to visit their home, we are here to help, both in and outside the manufacturer's warranty period.

Our engineers are employed and trained by Siemens and are based locally around the country.** No one knows our appliances better, and all repairs are analysed in advance by a technical team so that the parts likely to be needed to complete the repair are sent to the engineer's van the night before the visit***

2 Years
Guarantee

Register an appliance for a guarantee.

FREE 2 year guarantee.
You can register by telephone:

UK: **0844 481 0370**
IRL: **01230 0344**

Or register online:
siemens-home.co.uk
siemens-home.com/ie

FREE 10 year Anti-Rust Warranty for dishwashers.
Covers rusting throughout the inner-cavity of all dishwashers from the inside out. This warranty can be registered during the 2 year Siemens registration process.

Brochures.

24-hour hotline or visit our website

Call the brochure hotline on:

UK: **0844 892 9044**
IRL: **1890 626 041**
Northern Ireland: **00353 1 8930201**

We're available to help Monday to Friday 8am to 8pm, Saturday and Sunday 9am to 6pm

siemens-home.co.uk
siemens-home.com/ie

Order your brochures or download PDF copies from our website.

---

* Online booking not available in Ireland.
** In certain areas we may use an approved service partner.
*** This process may vary where approved service partners are used by us.

Siemens *online.*

To keep up to date with all of Siemens activities please visit siemens-home.co.uk

Here you will find out about our latest promotions, showroom open days, at our state of the art iQ Training facility, where you can get expert advice on the right products for your needs and lifestyle and a chance to sample some culinary delights cooked by our resident Home Economists.

Or if you're interested in finding out more about our Siemens lifestyle blogazine, a hub for all lifestyle news, previews and reviews, find and follow us on Facebook and Twitter, and get involved with My.Life.Style.

f /MyLifeStyle

@__MyLifeStyle

Disclaimer

This brochure is current as from the publication date and supersedes all previous brochures for these products. Whilst BSH Home Appliances Ltd believes that all information contained within this brochure is correct at the time of going to print, no representation or warranty, express or implied, is or will be made and no responsibility or liability is or will be accepted by BSH Home Appliances Ltd in relation to the accuracy or completeness of this information and any liability is expressly disclaimed. To the extent permitted by law, BSH Home Appliances Ltd expressly excludes: i) all conditions, warranties and other terms which might otherwise be implied by statute, common law or the law of equity and ii) any liability for any direct, indirect or consequential loss or damage (including, without limitation, damages for loss of business or loss of profits) arising in contract, tort or otherwise from the use of or reliance on any information contained within this brochure or from any action or decision taken as a result of such use or reliance. BSH Home Appliances Ltd reserves the right to modify technical data and all other information contained within this brochure without notice. All rights reserved. No part of this publication may be reproduced in any form or without the prior written permission of BSH Home Appliances Ltd.

This brochure should not be regarded as an infallible guide nor as an offer of sale for a particular product. Due to variables in the reproduction process, colours of actual products may vary slightly from those depicted. We recommend a visit to a Siemens dealer to confirm that specifications and colours are to your satisfaction.

Valid from October 2013

Siemens, a division of
BSH Home Appliances Ltd,
Grand Union House,
Old Wolverton Road,
Wolverton,
Milton Keynes,
MK12 5PT
Tel: 0844 892 9040
Fax: 01908 328499

siemens-home.co.uk

Siemens, a division of
BSH Home Appliances Ltd,
East Corner Unit,
Willsborough Industrial Estate,
Clonshaugh, Dublin 17
Tel: 1890 626041
(Northern Ireland 00353 1 8930201)
Fax: 1890 626042
(Northern Ireland 00353 1 8930209)

siemens-home.com/ie